

Package ‘ENmix’

April 15, 2020

Version 1.22.6

Date 2020-04-09

Title Data preprocessing and quality control for Illumina HumanMethylation450 and MethylationEPIC BeadChip

Type Package

Description The ENmix package provides a set of quality control and data pre-processing tools for Illumina HumanMethylation450 and MethylationEPIC Beadchips. It includes ENmix background correction, RELIC dye bias correction, RCP probe-type bias adjustment, along with a number of additional tools.

These functions can be used to remove unwanted experimental noise and thus to improve accuracy and reproducibility of methylation measures.

ENmix functions

are flexible and transparent. Users have option to choose a single pipeline command to finish all data pre-processing steps (including background correction, dye-bias adjustment, inter-array normalization and probe-type bias correction) or to use individual functions sequentially to perform data pre-processing in a more customized manner. In addition the ENmix package has selectable complementary functions for efficient data visualization (such as data distribution plots); quality control (identifying and filtering low quality data points, samples, probes, and outliers, along with imputation of missing values); identification of probes with multimodal distributions due to SNPs or other factors; exploration of data variance structure using principal component regression analysis plot; preparation of experimental factors related surrogate control variables to be adjusted in downstream statistical analysis; an efficient algorithm oxBS-MLE to estimate 5-methylcytosine and 5-hydroxymethylcytosine level; estimation of celltype proportion; methylation age calculation and differentially methylated region (DMR) analysis.

Depends parallel,doParallel,foreach,SummarizedExperiment,stats

Imports grDevices,graphics,preprocessCore,matrixStats,methods,utils,irr, geneplotter,impute,minfi,RPMM,illuminaio,dynamicTreeCut,IRanges, Biobase,ExperimentHub,AnnotationHub,genefilter,gplots,quadprog,S4Vectors

Suggests minfiData, RUnit, BiocGenerics

biocViews DNAMethylation, Preprocessing, QualityControl, TwoChannel, Microarray, OneChannel, MethylationArray, BatchEffect, Normalization, DataImport, Regression,

PrincipalComponent,Epigenetics, MultiChannel,
DifferentialMethylation, ImmunoOncology

License Artistic-2.0

NeedsCompilation no

Maintainer Zongli Xu <xuz@niehs.nih.gov>

git_url <https://git.bioconductor.org/packages/ENmix>

git_branch RELEASE_3_10

git_last_commit 5e46587

git_last_commit_date 2020-04-09

Date/Publication 2020-04-14

Author Zongli Xu [cre, aut],

Liang Niu [aut],

Leping Li [ctb],

Jack Taylor [ctb]

R topics documented:

B2M	3
calc_detP	3
combp	4
ctrlsva	5
dupicc	6
estimateCellProp	7
freqpoly	9
getB	10
getCGinfo	10
getmeth	11
ipdmr	12
M2B	12
methDataSet-class	13
methylAge	14
mhtplot	15
mpreprocess	15
multifreqpoly	17
nmode.mc	18
norm.quantile	19
normalize.quantile.450k	20
oxBS.MLE	21
p.qqplot	22
pcrplot	23
plotCtrl	24
predSex	25
preprocessENmix	25
QCfilter	27
QCinfo	28
rcp	29
readidat	30
readmanifest	31
relic	32

rgDataSet-class	33
rm.outlier	34

Index**36**

B2M	<i>Convert Beta value to M value.</i>
-----	---------------------------------------

Description

Convert Beta value to M value.

Usage

`B2M(x)`

Arguments

`x` An numeric matrix with values between 0 and 1

Value

A matrix of M values

Author(s)

Zongli Xu

calc_detP	<i>Calculate detection P values</i>
-----------	-------------------------------------

Description

Calculate detection P values based negtive internal control probes or out of the band (oob) probes

Usage

`calc_detP(rgSet,detPtype = "negative")`

Arguments

`rgSet` An object of class `rgDataSet`
`detPtype` Calculate detection P values based on negtive internal control ("negative") probes
or out of the band ("oob") probes

Value

An numerical matrix of detection P values, with row for CpGs and column for samples

Author(s)

Zongli Xu

References

Wanding Zhou et al. eSAMe: reducing artifactual detection of DNA methylation by Infinium Bead-Chips in genomic deletions Nucleic Acids Research, 2018

Examples

```
## Not run:
path <- file.path(find.package("minfiData"), "extdata")
rgSet <- readidat(path = path, recursive = TRUE)
detp=calc_detP(rgSet,detPtype = "negative")
detp2=calc_detP(rgSet,detPtype = "oob")

## End(Not run)
```

combp

Differentially methylated region finder using a modified comb-p method

Description

Identifying differentially methylated regions using a modified comb-p method

Usage

```
combp(data,dist.cutoff=1000,bin.size=310,seed=0.01,
      region_plot=TRUE,mht_plot=TRUE,nCores=10)
```

Arguments

data	A data frame from bed format file with colname name "V1", "V2", "V3", "V4", "V5", V1 indicate chromosome (1,2,3,...,X,Y), V2 is chromosome position, V4 is for P value and V5 for name of CpGs
dist.cutoff	Maximum distance in base pair to combine adjacent DMRs
bin.size	bin size for autocorrelation calculation
seed	FDR significance threshold for initial selection of DMR region
region.plot	Whether to draw regional plot
mht.plot	Whether to draw manhattan plot
nCores	Number of computer cores used in calculation

Details

The input should be a data frame with column number V1-V5, indicate chromosome, start position, end position, P values and probe names. The function will use a modified comb-p method to identify differentially methylated regions. DMR results will be output to a file with name "resu_combp.csv". If plot options were selected, two figure files will be generated: mht.jpg and region_plot.pdf.

Author(s)

Liang Niu, Zongli Xu

ctrlsva	<i>Non-negative control surrogate variables</i>
---------	---

Description

Surrogate variables derived from intensity data for non-negative internal control probes. These variables can be modeled in association analysis to adjust for experimental batch effects.

Usage

```
ctrlsva(rgSet,percvar=0.95,npv=1,flag=1)
```

Arguments

rgSet	An object of class RGChannelSet.
percvar	Minimum percentage of data variations can be explained by surrogate variables, range from 0 to 1, default is 0.9
npv	Number of surrogate variables, default is 1
flag	1: select number of surrogate variables based on argument percvar; 2: select number of surrogate variables based on argument npv

Value

ctrlsva: a matrix of surrogate variables (columns) with row corresponding to samples

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){
  if (require(minfiData)) {
    sheet <- read.metharray.sheet(file.path(find.package("minfiData"), "extdata"),
      pattern = "csv$")
    rgSet <- read.metharray.exp(targets = sheet, extended = TRUE)
    sva<-ctrlsva(rgSet)
  }
}
```

dupicc

Methylation duplicates evaluation.

Description

Calcuate ICC (consistency and twoway) and Pearson's correlation coefficient for each CpG probes. Calculate Pearson's correlation coefficient and methylation differences between duplicate samples.

Usage

```
dupicc(dat,dupid,mvalue=FALSE,center=FALSE,nCores=2,qcflag=FALSE,qc=NULL,
       detPthre=0.05,nbthre=3,skipicc=FALSE)
```

Arguments

dat	Methylation beta value matrix
dupid	A data frame with two variables, id1 and id2, for corresponding duplicates ids in methylation matrix
mvalue	Whether to convert to M value for calculation of ICC
center	Whether methylation beta values will be centered for calculation of correlation between duplicate samples
nCores	Number of core will be used for calculation of ICC
qcflag	Whether to perform QC before calculation of ICC
qc	QC object from ENmix package
detPthre	Detection P value threshold to identify low quality data point
nbthre	Number of bead threshold to identify low quality data point
skipicc	If TRUE, ICC calculation will be skipped

Value

icc: a data frame contain ICC and P values for each probes

dupcor: a data frame contain Pearson's correlation and averaged absolute difference between duplicates.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){
  if (require(minfiData)) {
    sheet <- read.metharray.sheet(file.path(find.package("minfiData"), "extdata"),
      pattern = "csv$")
    rgSet <- read.metharray.exp(targets = sheet, extended = TRUE)
    mdat=preprocessRaw(rgSet)
    beta=getBeta(mdat,"Illumina")
    dupidx=data.frame(id1=c("5723646052_R02C02","5723646052_R04C01","5723646052_R05C02"),
      id2=c("5723646053_R04C02","5723646053_R05C02","5723646053_R06C02"))
    icresu<-dupicc(dat=beta,dupid=dupidx)
  }
}
```

Description

Estimates relative proportion of underlying cell types in a sample based on reference methylation data of pure cell types.

Usage

```
estimateCellProp(userdata, refdata="FlowSorted.Blood.450k",
  cellTypes=NULL, nonnegative = TRUE, nProbes=50,
  normalize=TRUE, refplot=FALSE)
```

Arguments

userdata	The input can be rgDataSet, methDataSet\, codeMethylSet, RGChannelSet or methylation beta value matrix.
refdata	Reference data set will used: "FlowSorted.Blood.450k", "FlowSorted.DLPFC.450k", "FlowSorted.Cortex", "FlowSorted.CordBloodCombined.450k", "FlowSorted.CordBloodNorway.450k" or "FlowSorted.Blood.EPIC".
cellTypes	Specify cell type data in reference data will be used for deconvolution. if "NULL" all cell types will be used.
normalize	TRUE or FALSE, if TRUE, quantile normalization on methylated or unmethylated intensities will be performed.
nonnegative	TRUE or FALSE. If TRUE, the estimated proportions will be constrained to nonnegative values
nProbes	Number of best probes for each cell types will be used for the estimation.
refplot	TRUE or FALSE. IF TRUE, refdata distribution and heatmap will be plotted for inspection of reference dataset.

Details

This function use the method in Houseman et al (2012) to estimate cell type proportions using DNA methylation data.

The following reference datasets can be used for the estimation. User should select a reference most resemble to user's data in tissue, age, and Illumina array type.

FlowSorted.Blood.450k: consisting 450K methylation data for 60 blood samples from 6 male adults. 6 samples each for cell types: Bcell CD4T CD8T Eos Gran Mono Neu NK PBMC WBC; See Reinius et al. 2012 for details.

FlowSorted.CordBlood.450k: consisting 450k methylation data for 104 cord blood samples from 17 male and female individuals. Cell type (# samples) are: Bcell(15) CD4T(15) CD8T(14) Gran(12) Mono(15) NK(14) nRBC(4) WholeBlood(15). See Bakulski et al. Epigenetics 2016 for details.

FlowSorted.CordBloodNorway.450k: consisting 450K methylation data for 77 cord blood samples from 11 individuals (6 girls and 5 boys). 11 samples for each of the cell types: Bcell CD4T CD8T Gran Mono NK WBC. See P Yousefi et al Environ. Mol. Mutagen 2015 for details.

FlowSorted.Blood.EPIC: consisting EPIC methylation data for 37 magnetic sorted blood cell references and 12 samples. See LA Salas et al. 2018 for details.

FlowSorted.DLPFC.450k: consisting 450K methylation data for 58 brain tissue samples from 29 individuals. 15 females and 14 males, 6 Africans and 23 Caucasians, age between 13 to 79. 29 samples for each of the cell types: NeuN_neg and NeuN_pos. See Quintivano et al. 2013 for details.

Value

Matrix of composition estimates across all samples and cell types.

Author(s)

Zongli Xu

References

EA Houseman, WP Accomando, DC Koestler, BC Christensen, CJ Marsit, HH Nelson, JK Wiencke and KT Kelsey. *DNA methylation arrays as surrogate measures of cell mixture distribution*. BMC bioinformatics (2012) 13:86. doi:[10.1186/1471-2105-13-86](https://doi.org/10.1186/1471-2105-13-86).

Examples

```
## Not run:
require(minfiData)
path <- file.path(find.package("minfiData"), "extdata")
#based on rgDataset
rgSet <- readidat(path = path, recursive = TRUE)
celltype=estimateCellProp(userdata=rgSet, refdata="FlowSorted.Blood.450k",
                           nonnegative = TRUE, normalize=TRUE)
#using methDataSet
mdat<-preprocessENmix(rgSet, bgParaEst="oob", dyeCorr="RELIC",
                       QCinfo=qc, exCpG=outCpG, nCores=6)
celltype=estimateCellProp(userdata=mdat, refdata="FlowSorted.Blood.450k",
                           nonnegative = TRUE, normalize=TRUE)
mdat<-norm.quantile(mdat, method="quantile1")
#using beta value
beta<-rcp(mdat, qcscore=qc)
```

```
celltype=estimateCellProp(userdata=beta, refdata="FlowSorted.Blood.450k",
                           nonnegative = TRUE)

## End(Not run)
```

freqpoly*Frequency polygon plot***Description**

Similar to histogram, frequency polygon plot can be used to display data distribution.

Usage

```
freqpoly(mat, nbreaks=15, col="black", xlab="", ylab="Frequency",
         type="l", append=FALSE, ...)
```

Arguments

mat	A numeric vector
nbreaks	Number of bins for frequency counting
col	color code
xlab	x-axis lable
ylab	y-axis lable
type	character indicating the type of plotting; actually any of the 'type's as in 'plot.default'.
append	TRUE or FALSE, whether to create a new figure or append to the current figure.
...	Further arguments that get passed to the function "plot"

Value

Frequency polygon plot.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){
  if (require(minfiData)) {
    mdat <- preprocessRaw(RGsetEx)
    beta=getBeta(mdat, "Illumina")
    freqpoly(beta[,1])
  }
}
```

getB *Extract Beta value.*

Description

Extract Methylation Beta value, Beta = Meth / (Meth + Unmeth + offset)

Usage

```
getB(mdat, type="Illumina", offset=100)
```

Arguments

<code>mdat</code>	An object of class <code>MethylSet</code> .
<code>type</code>	<code>type="Illumina"</code> sets <code>offset=100</code> as per Genome Studio.
<code>offset</code>	<code>offset</code> in calculating beta ratio

Value

`beta`: a matrix of beta values

Author(s)

Zongli Xu

getCGinfo *CpG probe annotation information*

Description

Extract CpG probe annotation information from a `rgDataSet`

Usage

```
getCGinfo(rgSet, type="IandII")
```

Arguments

<code>rgSet</code>	An object of class <code>rgDataSet</code>
<code>type</code>	One of the following options "I", "II", "IandII", "ctrl", "all"

Value

An object of class `dataframe`

Author(s)

Zongli Xu

Examples

```
## Not run:  
require(minfidata)  
path <- file.path(find.package("minfiData"), "extdata")  
#based on rgDataset  
rgSet <- readidat(path = path, recursive = TRUE)  
info=getCGinfo(rgSet,type="all")  
  
## End(Not run)
```

getmeth

Create a methDataSet

Description

Create a methDataSet based on a rgDataset.

Usage

```
getmeth(rgSet)
```

Arguments

rgSet An object of class rgDataSet

Value

An object of class methDataSet

Author(s)

Zongli Xu

Examples

```
## Not run:  
require(minfidata)  
path <- file.path(find.package("minfiData"), "extdata")  
#based on rgDataset  
rgSet <- readidat(path = path, recursive = TRUE)  
meth=getmeth(rgSet)  
  
## End(Not run)
```

ipdmr*Differentially methylated region finder using interval P values*

Description

Identifying differentially methylated regions using interval P value method

Usage

```
ipdmr(data,include.all.sig.sites=TRUE,dist.cutoff=1000,bin.size=50,
      seed=0.01,region.plot=TRUE,mht.plot=TRUE)
```

Arguments

data	A data frame from bed format file with colname name "V1","V2", "V3","V4","V5", V1 indicate chromosome (1,2,3,...,X,Y), V2 is chromosome position, V4 is for P value and V5 for name of CpGs
include.all.sig.sites	Whether to use CpG singletons in calculate of FDR
dist.cutoff	Maximum distance in base pair to combine adjacent DMRs
bin.size	bin size for autocorrelation calculation
seed	FDR significance threshold for initial selection of DMR regions
region.plot	Whether to draw regional plot
mht.plot	Whether to draw manhattan plot

Details

The input should be a data frame with column number V1-V5, indicate chromosome, start position, end position, P values and probe names. The function will use a novel interval p value to identify differentially methylated regions. DMR results will be output to a file with name "resu_ipdmr.csv". If plot options were selected, two figure files will be generated: mht.jpg and region_plot.pdf.

Author(s)

Liang Niu, Zongli Xu

M2B*Convert M value to Beta value.*

Description

Convert M value to Beta value.

Usage

```
M2B(x)
```

Arguments

x An numeric matrix

Value

A matrix of methylation Beta values.

Author(s)

Zongli Xu

methDataSet-class *Class "methDataSet"*

Description

A class for storing Illumina methylation array methylated and unmethylated intensity data, and CpG annotation infomation.

Usage

```
methDataSet(Meth = new("matrix"), Unmeth = new("matrix"),
            rowData=new("DataFrame"),...)
```

Arguments

Meth	A matrix of methylated intensity values with row for CpGs and column for samples
Unmeth	A matrix of unmethylated intensity values with row for CpGs and column for samples
rowData	A dataframe contains CpG annotation information
...	Other arguments for class SummarizedExperiment

Value

An object of class `methDataSet`

Examples

```
showClass("methDataSet")
```

methyAge*Calculate Methylation Age***Description**

Calculation of Methylation Age using Hovath, Hannum or PhenoAge methods

Usage

```
methyAge(beta, type="all", fastImputation=FALSE, normalize=TRUE, nCores=2)
```

Arguments

beta	Methylation beta value matrix with CpG names(row names) and sample ids(column names).
type	Which method will be used for methylation age calculation: "hovath", "hannum", "phenoAge" or "all"
fastImputation	If "TRUE" reference methylation values will be used for imputation, if "FALSE", KNN nearest neighbor method will be used.
normalize	TRUE or FALSE, if TRUE, Hovath modified BMIQ method will be used to perform normalization.
nCores	Number of cores will be used for normalization

Value

A data frame with sample ids and estimates methylation age.

Author(s)

Zongli Xu

References

- Horvath S. *DNA methylation age of human tissues and cell types*. Genome biology 2013 14:R115.
 Hannum G, Guinney J, Zhao L, Zhang L, Hughes G, Sadda S, et al. *Genome-wide methylation profiles reveal quantitative views of human aging rates*. Molecular cell 2013 49:359-367. Levine ME, Lu AT, Quach A, Chen BH, Assimes TL, Bandinelli S, et al. *An epigenetic biomarker of aging for lifespan and healthspan*. Aging (Albany NY) 2018 10:573-591.

Examples

```
## Not run:
require(minfiData)
path <- file.path(find.package("minfiData"), "extdata")
#based on rgDataset
rgSet <- readidat(path = path, recursive = TRUE)
meth=getmeth(rgSet)
beta=getB(meth)
mage=methyAge(beta)

## End(Not run)
```

<code>mhtplot</code>	<i>P value manhattan plot</i>
----------------------	-------------------------------

Description

Draw P value manhattan plot

Usage

```
mhtplot(dat,color="bg",sigthre=NULL,markprobe=NULL,
        markcolor="red", outf="mht.jpg")
```

Arguments

<code>dat</code>	A data frame from bed format file with colname name "V1","V2", "V3", "V4", "V5", V1 indicate chromosome (1,2,3,...,X,Y), V2 is chromosome position, V4 is for P value and V5 for name of CpGs
<code>color</code>	Color scheme of manhattan plot, "bg" indicate "black and gray"
<code>sigthre</code>	P value of significant threshold line
<code>markprobe</code>	A list of CpGs to be marked out
<code>markcolor</code>	Color code for marked probe
<code>outf</code>	figure file name, default "mht.jpg"

Details

Draw manhattan plot based on bed file format input file. Optional mark a subset of probes

Author(s)

Zongli Xu

<code>mpreprocess</code>	<i>A pipeline to perform background correction, dye bias correction, inter-array normalization and probe type bias correction for Human-Methylation 450 and MethylationEPIC BeadChip data.</i>
--------------------------	--

Description

Fuction mpreprocess is a pipeline to easy preprocess steps for Illumina DNA methylation BeadChip. It comprehensively removes background noise and correct bias due to array design, including background correction, dye bias correction, inter-array normalization, probe type bias correction. It will also identify and exclude low quality samples and probes, remove outlier values, and perform imputation.

Usage

```
mpreprocess(rgSet,nCores=1,bgParaEst="oob",dyeCorr="RELIC",
            qc=FALSE,qnorm=TRUE,qmethod="quantile1",
           foutlier=TRUE,rmcr=FALSE,impute=FALSE)
```

Arguments

<code>rgSet</code>	An object of class <code>rgDataSet</code> , <code>methDataSet</code> , <code>RGChannelSetExtended</code> , <code>RGChannelSet</code> or <code>MethylSet</code> .
<code>nCores</code>	Number of cores will be used for computation
<code>bgParaEst</code>	Method to estimate background normal distribution parameters. This must be one of the strings: "oob", "est", or "neg".
<code>dyeCorr</code>	Dye bias correction, "mean": correction based on averaged red/green ratio; or "RELIC": correction with RELIC method; or "none": no dye bias correction. The default is RELIC
<code>qc</code>	If TRUE, QC will be performed. Low quality samples and CpGs will be excluded before background correction.
<code>qnorm</code>	If TRUE, inter-array quantile normalization will be performed.
<code>qmethod</code>	Quantile normalization method. This should be one of the following strings: "quantile1", "quantile2", or "quantile3". See details in function <code>norm.quantile</code> .
<code>foutlier</code>	If TRUE, outlier and low quality values will be filtered out.
<code>rmcr</code>	TRUE: excluded rows and columns with more than 5% of missing values. FALSE is in default
<code>impute</code>	Whether to impute missing values. If TRUE, k-nearest neighbor's methods will be used for imputation. FALSE is in default.

Details

Fuction `mpreprocess` is a pipeline that perform methylaiton data preprocessing and quality controls using functions: `preprocessENmix`, `norm.quantile`, `rcp`, `QCinfo` and `rm.outlier`. More customized preprocessing steps can be achieved using the individual functions.

Value

a methylation beta value matrix.

Author(s)

Zongli Xu

References

- Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip. *Nucleic Acids Research* 2015.
- Zongli Xu, Sabine A. S. Langie, Patrick De Boever, Jack A. Taylor1 and Liang Niu, RELIC: a novel dye-bias correction method for Illumina Methylation BeadChip, *in review* 2016
- Liang Niu, Zongli Xu and Jack A. Taylor: RCP: a novel probe design bias correction method for Illumina Methylation BeadChip, *Bioinformatics* 2016

See Also

Package `minfi` for classes `RGChannelSet` and `MethylSet`

Examples

```
if(FALSE){
  if (require(minfiData)) {
    beta=mpreprocess(RGsetEx,nCores=6)

    sheet <- read.metharray.sheet(file.path(find.package("minfiData"),"extdata"),
      pattern = "csv$")
    rgSet <- read.metharray.exp(targets = sheet,extended = TRUE)
    beta=mpreprocess(rgSet,nCores=6,qc=TRUE,foutlier=TRUE,rmcr=TRUE,impute=TRUE)
  }
}
```

multifreqpoly

Frequency polygon plot to display data distribution.

Description

Produce Frequency polygon plot for each column of a numeric data matrix.

Usage

```
multifreqpoly(mat, nbreaks=100, col=1:ncol(mat), xlab="",
  ylab="Frequency",legend = list(x = "top", fill=col,
  legend = if(is.null(colnames(mat))) paste(1:ncol(mat))
  else colnames(mat)),...)
```

Arguments

mat	A numeric matrix
nbbreaks	The number of bins for frequency counting
col	Line plot color code, the length should be equal to the number of columns in mat
xlab	x-axis lable
ylab	y-axis lable
legend	A list of arguments that get passed to the function "legend"
...	Further arguments that get passed to the function "plot"

Value

Frequency polygon plot.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){
  if (require(minfiData)) {
    mdat <- preprocessRaw(RGsetEx)
    beta=getBeta(mdat, "Illumina")
    multifreqpoly(beta,col=rep("black",ncol(beta)))
  }
}
```

nmode.mc

Estimating number of mode in methylaion data for each probe.

Description

Due to SNPs in CpG probe region or other unknow factors, methylation beta values for some CpGs have multimodal distribution. This function is to identify this type of probes with obovious multi-modal distribution.

Usage

```
nmode.mc(x, minN = 3, modedist=0.2, nCores = 1)
```

Arguments

x	A methylation beta value matrix with row for probes and column for samples.
minN	Minimum number of data points at each cluster
modedist	Minimum mode distance
nCores	Number of cores used for computation

Details

This function used an empirical approach to estimate number of mode in methylation beta value for each CpG probe. By default, the function requires the distance between modes have to be greater than 0.2 in methylation beta value, and each mode clusters should has at least 3 data points or 5% of data points whichever is greater.

Value

A vector of integers

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015

Examples

```
if(FALSE){
  if (require(minfiData)) {
    mdat <- preprocessRaw(RGsetEx)
    beta=getBeta(mdat, "Illumina")
    nmode=nmode.mc(beta, minN = 3,modedist=0.2, nCores = 5)
  }
}
```

`norm.quantile` *Quantile normalization.*

Description

Quantile normalization of methylation intensity data across samples for Illumina Infinium Human-Methylation 450 and MethylationEPIC BeadChip.

Usage

```
norm.quantile(mdat, method = "quantile1")
```

Arguments

- | | |
|---------------------|---|
| <code>mdat</code> | An object of class <code>MethylSet</code> . |
| <code>method</code> | Quantile normalization method. This should be one of the following strings: "quantile1", "quantile2", or "quantile3". |

Details

By default, `method = "quantile1"` will separately quantile normalize Methylated or Unmethylated intensities for Infinium I or II probes. The "quantile2" will quantile normalize combined Methylated or Unmethylated intensities for Infinium I or II probes. The "quantile3" will quantile normalize combined Methylated or Unmethylated intensities for Infinium I and II probes together.

Value

An object of class `MethylSet`.

Author(s)

Zongli Xu

References

Pidsley, R., CC, Y.W., Volta, M., Lunnon, K., Mill, J. and Schalkwyk, L.C. (2013) A data-driven approach to preprocessing Illumina 450K methylation array data. *BMC genomics*, 14, 293.

Examples

```
if(FALSE){
  if (require(minfiData)) {
    mdat=preprocessENmix(RGsetEx, bgParaEst="oob", nCores=6)
    mdatq1=norm.quantile(mdat, method="quantile1")
  }
}
```

normalize.quantile.450k

Quantile normalization.

Description

Quantile normalization of methylation intensity data across samples for Illumina Infinium Human-Methylation 450 BeadChip.

Usage

```
normalize.quantile.450k(mdat, method = "quantile1")
```

Arguments

- mdat An object of class MethylSet.
method Quantile normalization method. This should be one of the following strings: "quantile1", "quantile2", or "quantile3".

Details

By default, method = "quantile1" will separately quantile normalize Methylated or Unmethylated intensities for Infinium I or II probes. The "quantile2" will quantile normalize combined Methylated or Unmethylated intensities for Infinium I or II probes. The "quantile3" will quantile normalize combined Methylated or Unmethylated intensities for Infinium I and II probes together.

Value

An object of class MethylSet.

Author(s)

Zongli Xu

References

Pidsley, R., CC, Y.W., Volta, M., Lunnon, K., Mill, J. and Schalkwyk, L.C. (2013) A data-driven approach to preprocessing Illumina 450K methylation array data. BMC genomics, 14, 293.

Examples

```
if(FALSE){  
  if (require(minfiData)) {  
    mdat=preprocessENmix(RGsetEx, bgParaEst="oob", nCores=6)  
    mdatq1=normalize.quantile.450k(mdat, method="quantile1")  
  }  
}
```

oxBS.MLE	<i>oxBS-MLE.</i>
----------	------------------

Description

Find the Maximum Likelihood Estimate (MLE) of 5-methylcytosine (5mC) and 5-hydroxymethylcytosine (5hmC) using sequencing/array data from paired bisulfite and oxidative bisulfite treated DNA experiments.

Usage

```
oxBS.MLE(beta.BS, beta.oxBS, N.BS, N.oxBS)
```

Arguments

beta.BS	A matrix of measurements (proportions of methylated signals in total signals) obtained from bisulfite (BS) experiments
beta.oxBS	A matrix of measurements obtained from oxidative bisulfite (oxBS) experiments
N.BS	A matrix of total signals from BS experiments
N.oxBS	A matrix of total signals from oxBS experiments

Details

For all the inputs (beta.BS, beta.oxBS, N.BS and N.oxBS), the rows should be corresponding to CpG loci and the columns should be corresponding to samples. The order of rows/columns in all four matrices should be consistent (otherwise oxBS.MLE will stop with error messages). Using a binomial model at each CpG locus in each sample, oxBS.MLE outputs a list with two matrices: a matrix of MLEs of 5mC levels and a matrix of MLEs of 5hmC levels. The rows and columns of both matrices are consistent with the rows and columns of the input matrices. For any CpG locus in any sample, if any of the four corresponding values (beta.BS, beta.oxBS, N.BS and N.oxBS) is NA, or N.BS is zero, or N.oxBS is zero, the MLE of both 5mC and 5hmC levels will be set as NA.

Value

- A list with two elements:
- 5mC: a matrix of estimated 5mC levels.
- 5hmC: a matrix for estimated 5hmC levels.

Author(s)

Liang Niu and Zongli Xu

References

Zongli Xu, Jack A. Taylor, Yuet-Kin Leung, Shuk-Mei Ho and Liang Niu, *oxBS-MLE: An efficient method to estimate 5-methylcytosine and 5-hydroxymethylcytosine in paired bisulfite and oxidative bisulfite treated DNA*, under review.

Examples

```
# load example data
load(system.file("oxBS.MLE.RData", package="ENmix"))
# run oxBS.MLE
temp<-oxBS.MLE(beta.BS,beta.oxBS,N.BS,N.oxBS)
```

`p.qqplot`

P value Q-Q plot

Description

P value Q-Q plot with optional confidence interval

Usage

```
p.qqplot(pvalues,outf="qq.jpg",draw.conf=TRUE,
conf.col="lightgray",conf.alpha=.95,pch=20,col="black")
```

Arguments

<code>pvalues</code>	An numeric list of P values
<code>outf</code>	figure file name, default "qq.jpg"
<code>draw.conf</code>	Whether to draw confidence interval of expected P values under NULL hypothesis
<code>conf.col</code>	Color code of confidence interval
<code>conf.alpha</code>	Confidence interval range, 0.95 in default
<code>pch</code>	Point type code
<code>col</code>	Point color code

Details

P value Q-Q plot with optional confidence interval

Author(s)

Zongli Xu

pcrplot*Principal component regression plot*

Description

First, principal component analysis will be performed in the standadized input data matrix (standadized for each row/CpG), and then the specified number of top principal components (that explain most data variation) will be used to perform linear regression with each specified variables. Regression P values will be plotted for exploration of methylation data variance structure or identification of possible confounding variables for association analysis.

Usage

```
pcrplot(beta, cov, npc=50)
```

Arguments

beta	A methylation beta value matrix with row for probes and column for samples.
cov	A data frame of covariates. Categorical variables should be converted to factors.
npc	The number of top principal components to plot

Value

- A jpeg figure "svdscreepplot.jpg" to show the variations explained by each principal component.
A jpeg figure "pcr_diag.jpg" to show association strength between principal components and covariates with cell colors indicating different levels of association P values.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015

Examples

```
if(FALSE){  
  if (require(minfiData)) {  
    mdat <- preprocessRaw(RGsetEx)  
    beta=getBeta(mdat, "Illumina")  
    group=pData(mdat)$Sample_Group  
    slide=factor(pData(mdat)$Slide)  
    cov=data.frame(group,slide)  
    pcrplot(beta,cov,npc=6)  
  }}}
```

plotCtrl

Plot internal controls of 450K or MethylationEPIC BeadChip.

Description

Intensity data are plotted for all internal control probe types on the Illumina Infinium HumanMethylation450 or MethylationEPIC BeadChip. These figures can be used to check data quality and experimental procedures.

Usage

```
plotCtrl(rgSet, IDorder=NULL)
```

Arguments

- | | |
|----------------------|--|
| <code>rgSet</code> | An object of class RGChannelSet. |
| <code>IDorder</code> | A list of sample ids in the order user specified. The list can be a subset of the samples in input dataset. If an id list is provided, all plots will be produced in the order of the list. The default is NULL. |

Value

A set of jpeg figures.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){  
  if (require(minfiData)) {  
    pinfo=pData(RGsetEx)  
    IDorder=rownames(pinfo)[order(pinfo$Slide,pinfo$array)]  
    plotCtrl(RGsetEx, IDorder)  
  }}  
}
```

predSex

*Estimating sample sex based on methylation data***Description**

Estimating sample sex based on methylation data

Usage

```
predSex(mdat, cutoff = -2)
```

Arguments

- | | |
|--------|--|
| mdat | An object of class MethDataSet or rgDataSet. |
| cutoff | The difference in log2 total intensity between X and Y chromosomes |

Details

Estimation of sex is based on the difference of log2 median total intensity measures on the X and Y chromosomes.

Author(s)

Zongli Xu

Examples

```
## Not run:
path <- file.path(find.package("minfiData"), "extdata")
rgSet <- readidat(path = path, recursive = TRUE)
sex=predSex(rgSet)

## End(Not run)
```

preprocessENmix

*The ENmix background correction for HumanMethylation 450 and MethylationEPIC BeadChip***Description**

ENmix models methylation signal intensities with a flexible exponential-normal mixture distribution, and models background noise with a truncated normal distribution. ENmix will split BeadChip intensity data into 6 parts and separately model methylated and unmethylated intensities, 2 different color channels and 2 different probe designs.

Usage

```
preprocessENmix(rgSet, bgParaEst = "oob", dyeCorr="RELIC", QCinfo=NULL, exQCsample=TRUE,
               exQCcpq=TRUE, exSample=NULL, exCpG=NULL, nCores = 2)
```

Arguments

<code>rgSet</code>	An object of class RGChannelSetExtended, RGChannelSet or MethylSet.
<code>bgParaEst</code>	Optional method to estimate background normal distribution parameters. This must be one of the strings: "oob", "est", or "neg".
<code>dyeCorr</code>	Dye bias correction, "mean": correction based on averaged red/green ratio; or "RELIC": correction with RELIC method; or "none": no dye bias correction. The default is RELIC
<code>QCinfo</code>	If QCinfo object from function QCinfo() is provided, low quality samples (if exQCsample=TRUE) and CpGs (if exQCcpG=TRUE) will be excluded before background correction.
<code>exQCsample</code>	If TRUE, low quality samples listed in QCinfo will be excluded.
<code>exQCcpG</code>	If TRUE, low quality CpGs listed in QCinfo will be excluded.
<code>exSample</code>	User specified sample list to be excluded before background correction
<code>exCpG</code>	User specified probe list to be excluded before background correction
<code>nCores</code>	Number of cores will be used for computation

Details

By default, ENmix will use out-of-band Infinium I intensities ("oob") to estimate normal distribution parameters to model background noise. Option "est" will use combined methylated and unmethylated intensities to estimate background distribution parameters separately for each color channel and each probe type. Option "neg" will use 600 chip internal controls probes to estimate background distribution parameters. If rgSet if a MethylSet, then only option "est" can be selected.

Value

An object of class MethylSet

Author(s)

Zongli Xu and Liang Niu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip. Nucleic Acids Research 2015.

Zongli Xu, Sabine A. S. Langie, Patrick De Boever, Jack A. Taylor1 and Liang Niu, RELIC: a novel dye-bias correction method for Illumina Methylation BeadChip, in review 2016

Examples

```
if(FALSE){
  if (require(minfiData)) {
    mdat=preprocessENmix(RGsetEx,nCores=6)
  }
}
```

QCfilter	<i>Sample or CpG probe filter.</i>
----------	------------------------------------

Description

Filter low quality samples or CpGs, outlier samples or user specified samples or CpGs.

Usage

```
QCfilter(mdat,qcinfo=NULL,detPthre=0.000001,nbthre=3,samplethre=0.05,CpGthre=0.05,
bisulthre=NULL,outlier=FALSE,outid=NULL, outCpG=NULL,plot=FALSE)
```

Arguments

mdat	An object of class MethylSet or beta value matrix.
qcinfo	An object outputed from function QCinfo
detPthre	Detection P value threshold to identify low quality data point
nbthre	Number of bead threshold to identify low quality data point
samplethre	Threshold to identify low quality samples, the percentage of low quality methylation data points across probes for each sample
CpGthre	Threshold to identify low quality probes, percentage of low quality methylation data points across samples for each probe
bisulthre	Threshold of bisulfite intensity for identification of low quality samples. By default, Mean - 3 x SD of sample bisulfite control intensities will be used as the threshold.
outlier	If TRUE, outlier samples will be excluded.
outid	A list of user specified samples to be excluded.
outCpG	A list of user specified CpGs to be excluded.
plot	TRUE or FALSE, whether to produce quality checking plots.

Value

An same type object as input object after excluding low quality samples and CpGs

Figure "qc_sample.jpg": scatter plot for Percent of low quality data per sample and Average bisulfite conversion intensity

Figure "qc_CpG.jpg": histogram for Percent of low quality data per CpG.

Figure "freqpolygon_beta_beforeQC.jpg": distribution plot before filtering.

Figure "freqpolygon_beta_afterQC.jpg": distribution plot after filtering.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){
  if (require(minfiData)) {
    sheet <- read.metharray.sheet(file.path(find.package("minfiData"), "extdata"),
      pattern = "csv$")
    rgSet <- read.metharray.exp(targets = sheet, extended = TRUE)
    qcScore<-QCinfo(rgSet)
    rgSet=QCfilter(rgSet,qcinfo=qcScore,outlier=TRUE)
  }
}
```

QCinfo

QC information.

Description

Extract informations for data quality controls: detection P values, number of beads and averaged bisulfite conversion intensity. The function can also identify low quality samples and probes, as well as outlier samples based on total intensity or beta value distribution.

Usage

```
QCinfo(rgSet, detPthre=0.000001, detPtype="negative", nbthre=3, samplethre=0.05,
       CpGthre=0.05, bisulthre=NULL, outlier=TRUE, distplot=TRUE)
```

Arguments

rgSet	An object of class RGChannelSetExtended.
detPthre	Detection P value threshold to identify low quality data point
detPtype	Calculate detection P values based on negative internal control ("negative") probes or out of the band ("oob") probes
nbthre	Number of bead threshold to identify low quality data point
samplethre	Threshold to identify low quality samples, the percentage of low quality methylation data points across probes for each sample
CpGthre	Threshold to identify low quality probes, percentage of low quality methylation data points across samples for each probe
bisulthre	Threshold of bisulfite intensity for identification of low quality samples. By default, Mean - 3 x SD of sample bisulfite control intensities will be used as the threshold.
outlier	If TRUE, outlier samples in total intensity or beta value distribution will be identified and classified as bad samples.
distplot	TRUE or FALSE, whether to produce beta value distribution plots before and after QC.

Value

detP: a matrix of detection P values
nbead: a matrix for number of beads
bisul: a vector of averaged intensities for bisulfite conversion controls
badsample: a list of low quality or outlier samples
badCpG: a list of low quality CpGs
outlier_sample: a list of outlier samples
Figure "qc_sample.jpg": scatter plot for Percent of low quality data per sample and Average bisulfite conversion intensity
Figure "qc_CpG.jpg": histogram for Percent of low quality data per CpG.
Figure "freqpolygon_beta_beforeQC.jpg": distribution plot before filtering.
Figure "freqpolygon_beta_afterQC.jpg": distribution plot after filtering.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){  
  if (require(minfiData)) {  
    sheet <- read.metharray.sheet(file.path(find.package("minfiData"), "extdata"),  
      pattern = "csv$")  
    rgSet <- read.metharray.exp(targets = sheet, extended = TRUE)  
    qcScore<-QCinfo(rgSet)  
  }}  
  
-----  
rcp
```

Regression on Correlated Probes(RCP)

Description

Probe design type bias correction using Regression on Correlated Probes (RCP) method

Usage

```
rcp(mdat, dist=25, quantile.grid=seq(0.001,0.999,by=0.001), qcScore = NULL,  
nbThre=3, detPThre=0.000001)
```

Arguments

<code>mdat</code>	An object of class <code>MethylSet</code> .
<code>dist</code>	Maximum distance in base pair between type I and type II probe pairs for regression calibration
<code>quantile.grid</code>	Quantile grid used in linear regression
<code>qcscore</code>	If the data quality information (the output from function <code>QCinfo</code>) is provided, low quality data points as defined by detection p value threshold (<code>detPthre=0.000001</code>) or number of bead threshold (<code>nbthre=3</code>) will be set to missing.
<code>detPthre</code>	Detection P value threshold to define low quality data points, <code>detPthre=0.000001</code> in default.
<code>nbthre</code>	Number of beads threshold to define low quality data points, <code>nbthre=3</code> in default.

Details

The function will first identify type I and type II probe pairs within specified distance, and then perform linear regression between the probe types to estimate regression coefficients. With the estimates the function will then calibrates type II data using type I data as references.

Value

A beta value matrix

Author(s)

Liang Niu, Zongli Xu

References

Liang Niu, Zongli Xu and Jack A. Taylor *RCP: a novel probe design bias correction method for Illumina Methylation BeadChip*, *Bioinformatics* 2016

Examples

```
if(FALSE){
  if (require(minfiData)) {
    mdat=preprocessENmix(RGsetEx, bgParaEst="oob", nCores=6)
    mdatq1=norm.quantile(mdat, method="quantile1")
    beta=rcp(mdatq1)
  }
}
```

`readidat`

Parsing IDAT files from Illumina methylation arrays.

Description

Read in IDAT files and create a rgDataSet with probe annotation

Usage

```
readidat(path = NULL, manifestfile=NULL, recursive = FALSE, verbose = FALSE)
```

Arguments

path	Directory where idat files are located
manifestfile	The file name of array manifestfile, which can be downloaded from Illumina website. Bioconductor manifest package will be used if not provided
recursive	if TRUE, idat files in the subdirectories will also be read in
verbose	if TRUE, detailed running info will be printed on screen

Value

An object of class rgDataSet

Author(s)

Zongli Xu

Examples

```
## Not run:  
require(minfidata)  
path <- file.path(find.package("minfiData"), "extdata")  
#based on rgDataset  
rgSet <- readidat(path = path, recursive = TRUE)  
  
## End(Not run)
```

readmanifest

Parsing Illumina methylation arrays manifest file.

Description

Parsing Illumina methylation arrays manifest file.

Usage

```
readmanifest(file)
```

Arguments

file	Illumina methylation array manifest file, downloaded from Illumina website
------	--

Value

An object of dataframe contains probe annotation information

Author(s)

Zongli Xu

Examples

```
## Not run:
manifestfile="manifest *.csv file path"
manifest=readmanifest(manifestfile)

## End(Not run)
```

relic

RELIC dye bias correction method for Illumina HumanMethylation450 and MethylationEPIC BeadChip

Description

REgression on Logarithm of Internal Control probes (RELIC) correct for dye bias on whole array by utilizing the intensity values of paired internal control probes that monitor the two color channels.

Usage

```
relic (mdat,at_red,cg_grn)
```

Arguments

<code>mdat</code>	An object of class <code>MethylSet</code> .
<code>at_red</code>	an intensity matrix for Illumina control probes "NORM_A" and "NORM_T"
<code>cg_grn</code>	an intensity matrix for Illumina control probes "NORM_C" and "NORM_G"

Details

The Illumina MethylationEPIC BeadChip contains 85 pairs of internal normalization control probes (name with prefix NORM_A, NORM_T, NORM_G or NORM_C), while its predecessor, Illumina HumanMethyl-ation450 BeadChip contains 93 pairs. RELIC first performs a regression on the logarithms of the intensity values of the normalization control probes to derive a quantitative relationship between red and green channels, and then uses the relation-ship to correct for dye-bias on intensity values for whole array.

Value

An object of class `MethylSet`

Author(s)

Zongli Xu and Liang Niu

References

Zongli Xu, Sabine A. S. Langie, Patrick De Boever, Jack A. Taylor and Liang Niu, RELIC: a novel dye-bias correction method for Illumina Methylation BeadChip, in review 2016

See Also

Package `preprocessENmix`

Examples

```

if(FALSE){
  if (require(minfiData)) {
    #background correction and dye bias correction
    mdat <- preprocessENmix(RGsetEx, bgParaEst="oob", nCores=6, dyeCorr == "RELIC")
    #dye bias correction only
    ctrls <- getProbeInfo(RGsetEx, type="Control")
    ctrls <- ctrls[ctrls$Address %in% featureNames(RGsetEx),]
    ctrl_r <- getRed(RGsetEx)[ctrls$Address,]
    ctrl_g <- getGreen(RGsetEx)[ctrls$Address,]
    CG.controls <- ctrls$type %in% c("NORM_C", "NORM_G")
    AT.controls <- ctrls$type %in% c("NORM_A", "NORM_T")
    cg_grn <- ctrl_g[CG.controls,]
    rownames(cg_grn) = ctrls$ExtendedType[CG.controls]
    at_red <- ctrl_r[AT.controls,]
    rownames(at_red) = ctrls$ExtendedType[AT.controls]
    mdat <- preprocessRaw(RGsetEx)
    mdat <- relic(mdat, at_red, cg_grn)
  }
}

```

rgDataSet-class *Class "rgDataSet"*

Description

A class for storing Illumina methylation array raw intensity data of two color channels, and probe annotation infomation.

Usage

```
rgDataSet(Red = new("matrix"), Green = new("matrix"),
          NBeads = new("matrix"), rowData=new("DataFrame"), ictrl= new("DataFrame"), ...)
```

Arguments

Red	A matrix of Red channel intensity values with row for methylation probes and column for samples
Green	A matrix of Green channel intensity values with row for methylation probes and column for samples
NBeads	A matrix contains the number of beads used to generate intensity values on the Red and Green channels.
rowData	A dataframe contains probe annotation information
ictrl	A dataframe contais detailed information for Illumina internal control probes
...	other arguments for class SummarizedExperiment

Value

An object of class rgDataSet

Examples

```
showClass("rgDataSet")
```

rm.outlier*Filtering out outlier and/or low quality values***Description**

Setting outliers as missing value. Outlier was defined as value smaller than 3 times IQR from the lower quartile or larger than 3 times IQR from the upper quartile. If data quality information were provided, low quality data points will be set to missing first before looking for outliers. If specified, imputation will be performed using k-nearest neighbors method to impute all missing values.

Usage

```
rm.outlier(mat, byrow=TRUE, qcscore=NULL, detPthre=0.000001, nbthre=3,
           rmcr=FALSE, rthre=0.05, cthre=0.05, impute=FALSE,
           imputebyrow=TRUE, ...)
```

Arguments

mat	An numeric matrix
byrow	TRUE: Looking for outliers row by row, or FALSE: column by column.
qcscore	If the data quality information (the output from function QCinfo) were provided, low quality data points as defined by detection p value threshold (detPthre) or number of bead threshold (nbthre) will be set to missing.
detPthre	Detection P value threshold to define low quality data points, detPthre=0.000001 in default.
nbthre	Number of beads threshold define low quality data points, nbthre=3 in default.
rmcr	TRUE: excluded rows and columns with too many missing values as defined by rthre and cthre. FALSE is in default
rthre	Minimum of percentage of missing values for a row to be excluded
cthre	Minimum of percentage of missing values for a column to be excluded
impute	Whether to impute missing values. If TRUE, k-nearest neighbors methods will be used for imputation. FALSE is in default. Warning: imputed values for multi-modal distributed CpGs may not be correct.
imputebyrow	TRUE: impute missing values using similar values in row, or FALSE: in column
...	Arguments to be passed to the function impute.knn in R package "impute"

Value

An numeric matrix of same dimension as the input matrix.

Author(s)

Zongli Xu

References

Zongli Xu, Liang Niu, Leping Li and Jack A. Taylor, *ENmix: a novel background correction method for Illumina HumanMethylation450 BeadChip*. Nucleic Acids Research 2015.

Examples

```
if(FALSE){  
  if (require(minfiData)) {  
    sheet <- read.metharray.sheet(file.path(find.package("minfiData"), "extdata"),  
    pattern = "csv$")  
    rgSet <- read.metharray.exp(targets = sheet, extended = TRUE)  
    qcscore<-QCinfo(rgSet)  
    mdat <- preprocessRaw(rgSet)  
    beta=getBeta(mdat, "Illumina")  
    #filter out outliers  
    b1=rm.outlier(beta)  
    #filter out low quality and outlier values  
    b2=rm.outlier(beta,qcscore=qcscore)  
    #filter out low quality and outlier values, remove rows and columns with  
    # too many missing values  
    b3=rm.outlier(beta,qcscore=qcscore,rmcr=TRUE)  
    #filter out low quality and outlier values, remove rows and columns with  
    # too many missing values, and then do imputation  
    b3=rm.outlier(beta,qcscore=qcscore,rmcr=TRUE,impute=TRUE)  
  }}  
}
```

Index

B2M, 3
calc_detP, 3
combp, 4
ctrlsva, 5
dupicc, 6
estimateCellProp, 7
freqpoly, 9
getB, 10
getCGinfo, 10
getmeth, 11
ipdmr, 12
M2B, 12
methDataSet (methDataSet-class), 13
methDataSet-class, 13
methyAge, 14
MethylSet, 16
mhtplot, 15
mpreprocess, 15
multifreqpoly, 17
nmode.mc, 18
norm.quantile, 19
normalize.quantile.450k, 20
oxBS.MLE, 21
p.qqplot, 22
pcrplot, 23
plotCtrl, 24
predSex, 25
preprocessENmix, 25
QCfilter, 27
QCinfo, 28
rcp, 29
readidat, 30
readmanifest, 31
relic, 32
RGChannelSet, 16
rgDataSet (rgDataSet-class), 33
rgDataSet-class, 33
rm.outlier, 34
show, methDataSet-method
(methDataSet-class), 13
show, rgDataSet-method
(rgDataSet-class), 33