

Package ‘rCGH’

April 23, 2016

Type Package

Title Comprehensive Pipeline for Analyzing and Visualizing Agilent and Affymetrix Array-Based CGH Data

Version 1.0.2

Date 2015-10-27

Maintainer Frederic Commo <frederic.commo@gustaveroussy.fr>

URL <https://github.com/fredcommo/rCGH>

Description A comprehensive pipeline for analyzing and interactively visualizing genomic profiles generated through Agilent and Affymetrix microarrays. As inputs, rCGH supports Agilent dual-color Feature Extraction files (.txt), from 44 to 400K, and Affymetrix SNP6.0 and cytoScan probeset.txt, cychp.txt, and cnchp.txt files, exported from ChAS or Affymetrix Power Tools. This package takes over all the steps required for a genomic profile analysis, from reading the files to the segmentation and genes annotations, and provides several visualization functions (static or interactive) which facilitate profiles interpretation.

Input files can be in compressed format, e.g. .bz2 or .gz.

License Artistic-2.0

biocViews aCGH,CopyNumberVariation,Preprocessing,FeatureExtraction

Depends R (>= 3.2.1),methods

Imports plyr,DNAcopy,lattice,aCGH,ggplot2,grid,shiny (>= 0.11.1), limma,affy,mclust,TxDb.Hsapiens.UCSC.hg19.knownGene, org.Hs.eg.db,GenomicFeatures,GenomeInfoDb,GenomicRanges,AnnotationDbi, parallel,stats,utils,graphics,IRanges,grDevices

Suggests BiocStyle,knitr,BiocGenerics,RUnit

VignetteBuilder knitr

LazyData true

NeedsCompilation no

Author Frederic Commo [aut, cre]

R topics documented:

rCGH-package	2
adjustSignal	3
agilentDB	5
AllAccessors	6
byGeneTable	7
EMnormalize	8
geneDB	10
hg19	11
multiplot	13
plotDensity	14
plotLOH	15
plotProfile	16
rCGH-Agilent-class	17
rCGH-class	18
rCGH-cytoScan-class	19
rCGH-SNP6-class	20
readAffyCytoScan	21
readAffySNP6	22
readAgilent	23
recenter<-methods	24
segmentCGH	25
setInfo<-methods	26
show-methods	27
view	28

Index	30
--------------	-----------

rCGH-package	<i>Comprehensive Pipeline for Analyzing and Visualizing Agilent and Affymetrix Array-Based CGH Data</i>
--------------	---

Description

A comprehensive pipeline for analyzing and interactively visualizing genomic profiles generated through Agilent and Affymetrix microarrays.

As inputs, rCGH supports Agilent dual-color Feature Extraction files (.txt), from 44 to 400K, and Affymetrix SNP6.0 and cytoScan probeset.txt, cychp.txt, and cnchp.txt files, exported from ChAS or Affymetrix Power Tools.

This package takes over all the steps required for a genomic profile analysis, from reading the files to the segmentation and genes annotations, and provides several visualization functions (static or interactive) which facilitate profiles interpretation.

Input files can be in compressed format, e.g. .bz2 or .gz.

Author(s)

Frederic Commo <frederic.commo@gustaveroussy.fr>

See Also

[readAgilent](#), [readAffySNP6](#), [readAffyCytoScan](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
object1 <- readAffyCytoScan(filePath, sampleName = "AffySchD")

object2 <- adjustSignal(object1, nCores=1)
object3 <- EMnormalize(object2)
object4 <- segmentCGH(object3, nCores=1)

# Static visualizations
plotDensity(object4)
multiplot(object4)

## Not run:
# Interactive visualizations
view(object4)

## End(Not run)
```

adjustSignal

Array-based CGH Preprocessing

Description

This function performs several preprocessing steps: local regressions (loessFit) are used to correct cy3/cy5 and GC% bias, when Agilent dual-color hybridization are used only.
In case of Affymetrix cychp.txt (or cnchp.txt) data are used, these steps have been already done in ChAS or Affymetrix Power Tools.

Usage

```
## S4 method for signature 'rCGH'
adjustSignal(object, Scale=TRUE, Cy=TRUE, GC=TRUE, Ref="cy3",
  suppOutliers=TRUE, nCores=NULL, verbose=TRUE)
```

Arguments

- object : An object of class "[rCGH](#)"
Scale : logical. If TRUE (default), Log2Ratios are standardized.
Cy : logical. If TRUE (default), cy3/cy5 bias is corrected using a local regression (loessFit). For Agilent dual-color hybridization only. Notice that, in case of Affymetrix files (cychp.txt or cnchp.txt), this argument is automatically set to FALSE, since this step is managed when files are exported from ChAS or APT.

GC	: logical. If TRUE (default), the GC% bias is corrected using a local regression (loessFit). For Agilent dual-color hybridization only. Notice that, in case of Affymetrix files (cychp.txt or cnchp.txt), this argument is automatically set to FALSE, since this step is managed when files are exported from ChAS or APT.
Ref	: string. Which cyanine was used as the reference. Possible values are "cy3" (default) and "cy5". For Agilent dual-color hybridization only.
suppOutliers	: logical. If TRUE (default), outliers are removed using an Expectation-Maximization algorithm (EM). See details below.
nCores	: numeric. The number of cores to use in order to speed up the computation. When NULL (default), half of the available cores are used. If a value greater than the number of available cores is passed, this latter will be used. See detectCores .
verbose	: logical. When TRUE (default), progress is printed.

Details

When `suppOutliers` is TRUE (default), the Log2Ratios are splitted with respect to chromosomes. The main regions within each chromosome are identified using EM. Within each region r_i , $x[r_i]$ values are redefined according to the corresponding model parameters. as:

$$x[r_i] \sim N(\mu_i, \sigma_i)$$

Notice that this step may substantially increase the computation time.

Value

An object of class "[rCGH](#)"

Author(s)

Frederic Commo

See Also

[detectCores](#), [mclapply](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
                       package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
getParam(cgh)
```

agilentDB*aCGH Agilent Probes GC Fraction*

Description

A dataset containing the Agilent probe Ids, and their GC content.
These data allow [rCGH](#) to support Agilent aCGH arrays, from 44K to 400K. See the source section.
This information is used to correct the GC% bias. For Agilent data only.

Usage

```
agilentDB
```

Format

A data frame with 411056 rows and 2 columns:

- ProbeID: Official Agilent probe ids.
- GC: The GC content in each probe sequence, expressed as the GC fraction.

Value

A dataset

Note

Probe sequences are not used and have been removed after computing the GC fractions as $GC = \text{sum}(G \text{ or } C)/\text{length}(\text{sequence})$, for each sequence in file.

Author(s)

Frederic Commo

Source

These data derive from the official Agilent Sequence List, SurePrint_G3_Human_CGH_Microarray 2x400K_021850_D_SequenceList_20111015.txt, freely available at: [Agilent SureDesign](#)
Access date: 3-2-2015
Notice that a User ID and Password are required to sign in.

Description

Methods for extracting information from an object of class "[rCGH](#)".

Each of the below methods are simply convenience functions which extract the corresponding slots (as the name of each method suggests) from an object of class "[rCGH](#)".

Usage

```
## S4 method for signature 'rCGH'
getInfo(object, item = NULL)
## S4 method for signature 'rCGH'
getCNset(object)
## S4 method for signature 'rCGH'
getParam(object)
## S4 method for signature 'rCGH'
getSegTable(object, minLen = NULL)
```

Arguments

- | | |
|--------|---|
| object | : An object of class " rCGH " |
| item | : character. Can be one, or a vector of items. When NULL, the full available information is returned. If item is specified, and exists, the corresponding value(s) only is(are) returned. |
| minLen | : numeric. The minimal length for a segment, in Kb. When NULL (default), the segmentation table is exported, as it has been computed with segmentCGH , segments shorter than the specified value are re-merged otherwise. |

Value

- `getInfo(object, item = NULL)`: character.
- `getCNset(object)`: a data frame.
- `getParam(object)`: a list of parameters.
- `getSegTable(object, minLen = NULL)`: a data frame.

Methods

- "rCGH"**
- `getInfo(object, item = NULL)`: returns the values of the specified items, all the information otherwise.
 - `getCNset(object)`: returns the full by-probe dataset.
 - `getParam(object)`: returns the analysis parameters.
 - `getSegTable(object, minLen = NULL)`: returns the segmentation table - one row per segment.

Author(s)

Frederic Commo

See Also

[setInfo](#), [segmentCGH](#)

Examples

```
filePath <- system.file("extdata", "Agilent4x180K.txt.bz2", package = "rCGH")
cgh <- readAgilent(filePath, sampleName = "Agilent4x180K", labName = "myLab")

# Getting all the information
getInfo(cgh)

# Getting specific items
getInfo(cgh, c("sampleName", "labName"))
```

Description

This function creates a by-gene table by listing all the genes contained in each of the segments in the segmentation table.

Gene annotations (symbol, location,...), segmented Log2Ratios, and segment length are reported in the final table.

A supplementary score is the `relativeLog`: the magnitude, in Log2, from the closest centromere.

Usage

```
byGeneTable(segTable, symbol = NULL, verbose = TRUE)
```

Arguments

- | | |
|-----------------------|--|
| <code>segTable</code> | : data frame. A segmentation table exported from an object of class " rCGH " |
| <code>symbol</code> | : character. A valid HUGO symbol. When <code>NULL</code> the full gene table is returned, the corresponding gene information only o/w. |
| <code>verbose</code> | : logical. When <code>TRUE</code> progress is printed. |

Details

For gene annotations, Hg19/GRCh37 annotations downloaded from *NCBI* are considered.

Value

An object of class "[rCGH](#)"

Author(s)

Frederic Commo

See Also

[getSegTable](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
cgh <- segmentCGH(cgh, nCores=1)
st <- getSegTable(cgh)
bygene <- byGeneTable(st)
head(bygene)
```

Description

This function analyses the Log2Ratios as a mixture of several gaussian populations, using an Expectation-Maximization algorithm (EM).

The `peakThresh` argument specifies what proportion of the main density peak is allowed for choosing a neutral 2-copies population. The mean of the chosen population is used for centralizing the profile.

See [Mclust](#).

Usage

```
## S4 method for signature 'rCGH'
EMnormalize(object, cut = c(0.01, 0.99), G = 2:6, useN = 25e3,
peakThresh = 0.5, ksmooth = NA, mergeVal = 0.1, Title = NA, verbose=TRUE)
```

Arguments

object	: An object of class " rCGH "
cut	: numeric. A vector of 2 alpha values (between 0 and 1). Log2Ratios outside the corresponding quantiles will be excluded for the gaussian mixture estimation. Default quantiles are $q_{0.01}$ and $q_{0.99}$.
G	: numeric. The number of groups to test during the gaussian mixture estimation. Default is from 2 to 6.
useN	: numeric. The number of probes to use for estimating the mixture parameters. Default is 25e3.
peakThresh	: numeric. The proportion of the highest peak to consider as a peak selection threshold. Default is 0.5.
ksmooth	: numeric. A smoothing value applied to Log2Ratios before modeling the gaussian mixture. When NA (default) ksmooth is estimated from the median absolute deviation of the Log2Ratios.
mergeVal	: numeric. Populations with means closer than mergeVal will be pooled together, default is 0.1. Set mergeVal to zero to not pool closed sub-populations.
Title	: character string. A title for the density plot. If NA (default), the sample name (when exists in object info) will be used.
verbose	: logical. When TRUE (default), progress is printed.

Details

Depending on peakThresh, the mean of the highest density, or a lower value, will be chosen for centering the Log2Ratios before the segmentation.

When a peakThresh value is specified, heights of density peaks are compared: the lowest peak mean among the peaks respecting the criteria: $\text{peakHeight} > \max(\text{peaks}) * \text{peakThresh}$, is chosen for centralizing the data. See References

Value

An object of same class as the input.

Author(s)

Frederic Commo

References

Commo et al. Impact of centralization on aCGH-based genomic profiles for precision medicine in oncology. Ann Oncol. 2014

See Also

[plotDensity](#), [mclust](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
getParam(cgh)
```

geneDB

Gene Annotations, in Hg19

Description

GRanges object with 23056 ranges and 1 metadata column, according to UCSC Hg19.

Usage

geneDB

Format

A GRanges object including:

- seqnames, class 'Rle': chromosome number.
- ranges:, class 'IRanges': gene [start, end] position.
- strand, class 'Rle': strand.
- elementMetadata, gene_id, class 'DataFrame': entrezIds.

Value

A GRanges object

Note

This object is automatically generated from [TxDb.Hsapiens.UCSC.hg19.knownGene](#) when [rCGH](#) is loaded.

Author(s)

Frederic Commo

See Also

[TxDb.Hsapiens.UCSC.hg19.knownGene](#) genes

Examples

```
geneDB

# Below, how rCGH builds geneDB:
## Not run:
library(TxDb.Hsapiens.UCSC.hg19.knownGene)
library( org.Hs.eg.db)

txdb <- TxDb.Hsapiens.UCSC.hg19.knownGene
geneDB  <- genes(txdb, columns=c("gene_id"))
geneDB

## End(Not run)
```

hg19

Hg19 Chromosome Lengths and Centromere Locations

Description

A data set containing lengths and centromere locations for each of the 24 chromosomes, according to Hg19.

Usage

hg19

Format

A data set with 24 rows and 5 columns:

- chrom: chromosome number.
- length: chromosome length.
- centromerStart: centromere start position.
- centromerEnd: centromere end position.
- cumlen: cumulative length (where the previous chromosome ends).

Value

a data set.

Author(s)

Frederic Commo

Source

These data derived from the Hg19 gap UCSC table, freely available at: [UCSC](#)
Access date: 1-31-2014
Within the browser, select:
group: All Tables
database: hg19
table: gap

Examples

```
# For users convenience, we provide a prebuilt dataset
# containing the Hg19 chr lengths, and centromeres location.
hg19

# The same dataset can be obtained as follow:
## Not run:
library(BSgenome)
library(rtracklayer)

getChrLength <- function(genome = "BSgenome.Hsapiens.UCSC.hg19"){
  g <- getBSgenome(genome, masked=FALSE)
  data.frame(chrom=1:24, length=seqlengths(g)[1:24])
}

.chrAsNum <- function(tbl){
  tbl$chrom <- gsub("chr", "", tbl$chrom)
  tbl$chrom[tbl$chrom=="X"] <- 23
  tbl$chrom[tbl$chrom=="Y"] <- 24
  tbl$chrom <- as.numeric(tbl$chrom)
  tbl[order(tbl$chrom),]
}

getCentromeres <- function( genome="hg19" ){
  mySession <- try(browserSession("UCSC"), silent=TRUE)
  # In case of failure, try another mirror
  if(inherits(mySession, "try-error"))
    mySession <- browserSession("UCSC",
                                url="http://genome-euro.ucsc.edu/cgi-bin/")
  genome(mySession) <- genome
  obj <- ucscTableQuery(mySession, table="gap")
  tbl <- getTable(obj)
  tbl <-tbl[tbl$type=="centromere", c("chrom", "chromStart", "chromEnd")]
  colnames(tbl)[2:3] <- c("centromerStart", "centromerEnd")
  .chrAsNum(tbl)
}

makeHg19 <- function(){
  tbl <- merge(getChrLength(), getCentromeres(), by="chrom")
  cumlen <- c(0, cumsum(as.numeric(tbl$length))[-nrow(tbl)])
  cbind.data.frame(tbl, cumlen=cumlen)
}

hg19 <- makeHg19()
hg19

## End(Not run)
```

multiplot*Static Genomic Profile and LOH Visualization*

Description

This function display a static view of the genomic profile and the allelic difference stored in an object of class "[rCGH](#)".

If no allelic difference is available, the genomic profile only is displayed.

Usage

```
## S4 method for signature 'rCGH'
multiplot(object, symbol=NULL, gain=.5, loss=(-.5), minLen=10,
L=matrix(seq(1, 12)), p=c(2/3, 1/3), Title=NULL, ylim=NULL)
```

Arguments

object	: An object of class " rCGH "
symbol	: character. A valid HUGO symbol (case insensitive).
gain	: numeric. A gain threshold value (in $\text{Log}_2(\text{Ratio})$) from where gained segments will be shown, in blue.
loss	: numeric. A loss threshold value (in $\text{Log}_2(\text{Ratio})$) from where lossed segments will be shown, in red.
minLen	: numeric. The mininal length for a segment, in Kb. When NULL (default), segments are reported as they have been computed with segmentCGH , segments shorter than the specified value are re-merged otherwise.
L	: matrix. A matrix defining how the layout is built. Default is 12 lines.
p	: numeric. The proportion of each plot in the plot window. Default is 2/3, 1/3, which corresponds to 8 and 4 lines for the genomic profile and the LOH plot, respectiveliy.
Title	: character string. A title for the density plot. If NULL (default), the sample name (when exists) will be used.
ylim	: numeric. A vector of two values specifying the y-axis range. See plotProfile .

Value

None.

Note

If no allelic difference is available, the genomic profile only is displayed.

Author(s)

Frederic Commo

See Also

[plotDensity](#), [plotProfile](#), [plotLOH](#), [view](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
cgh <- segmentCGH(cgh, nCores=1)

# Static visualizations
multiplot(cgh, "erbb2")
```

[plotDensity](#)

Visualizing the Log2Ratios Density and Centralization Decision

Description

This function display the distribution of the Log2Ratios, as well as how the "[EMnormalize](#)" step estimates the mixture of gaussian populations, and choose a centralization value.

Usage

```
## S4 method for signature 'rCGH'
plotDensity(object, breaks=NULL, Title=NULL, ...)
```

Arguments

- object : An object of class "[rCGH](#)"
- breaks : The number of breaks to use. See [hist](#). When NULL (default), breaks is arbitrarily defined from the number of values to draw.
- Title : character string. A title for the density plot. If NULL (default), the sample name (when exists) will be used.
- ... : Other graphical parameters supported by [par](#).

Value

None.

Author(s)

Frederic Commo

See Also

[plotProfile](#), [plotLOH](#), [multiplot](#), [view](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
plotDensity(cgh)
```

plotLOH

Allelic Differences Visualization

Description

This function display a static view of the allele differences, when available.

Usage

```
## S4 method for signature 'rCGH'
plotLOH(object, Title=NULL)
```

Arguments

object : An object of class "[rCGH](#)"
Title : character string. A title for the density plot. If NULL (default), the sample name (when exists) is used.

Value

None.

Author(s)

Frederic Commo

See Also

[plotDensity](#), [plotProfile](#), [multiplot](#), [view](#)

Examples

```

filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
cgh <- segmentCGH(cgh, nCores=1)

# Static visualizations
plotLOH(cgh)

```

plotProfile

Static Genomic Profile Visualization

Description

This function display a static view of the genomic profile stored in an object of class "["rCGH"](#)".

Usage

```

## S4 method for signature 'rCGH'
plotProfile(object, symbol=NULL, gain=.5, loss=(-.5),
  minLen = 10, Title=NULL, ylim=NULL)

```

Arguments

- object : An object of class "["rCGH"](#)"
- symbol : character. A valid HUGO symbol (case insensitive).
- gain : numeric. A gain threshold value (in $\text{Log}_2(\text{Ratio})$) from where gained segments will be shown, in blue.
- loss : numeric. A loss threshold value (in $\text{Log}_2(\text{Ratio})$) from where lossed segments will be shown, in red.
- minLen : numeric. The minimal length for a segment, in Kb. When NULL (default), segments are reported as they have been computed with [segmentCGH](#), segments shorter than the specified value are re-merged otherwise.
- Title : character string. A title for the density plot. If NULL (default), the sample name (when exists) is used.
- ylim : numeric. A vector of two values specifying ylim. If NULL (default), y-range is defined from Log2Ratio values.

Value

None.

Author(s)

Frederic Commo

See Also

[plotDensity](#), [plotLOH](#), [multiplot](#), [view](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
cgh <- segmentCGH(cgh, nCores=1)

# Static visualizations
plotProfile(cgh, "erbB2")
```

rCGH-Agilent-class *Class "rCGH-Agilent"*

Description

An instance of class "rCGH-Agilent", which inherits from the superclass "[rCGH](#)".

Slots described below are used to store sample information, analysis parameters, and segmentation results. All are accessible through specific "[Accessors](#)" functions.

Objects from the Class

Objects can be created by calls of the form `new("rCGH-Agilent", ...)`.

Slots

info: Object of class "character": where sample information can be stored. See [getInfo](#) and [setInfo](#).

cnSet: Object of class "data.frame": the full data set. See [getCNset](#).

param: Object of class "list": the analysis parameters stored for traceability. [getParam](#).

segTable: Object of class "data.frame": the segmentation table. [getSegTable](#).

Extends

Class "[rCGH](#)", directly.

Methods

No methods defined with class "rCGH-Agilent" in the signature.

Author(s)

Frederic Commo

See Also

["rCGH"](#), ["rCGH-cytoScan"](#), ["rCGH-SNP6"](#)

Examples

```
showClass("rCGH-Agilent")
```

rCGH-class

Class "rCGH"

Description

Class "["rCGH"](#)" is a superclass living on top of "["rCGH-Agilent"](#)", "["rCGH-SNP6"](#)", and "["rCGH-cytoScan"](#)". These objects inherit most of the properties of the superclass, but specific parametrizations used during the analysis process.

Objects are created by platform-specific read functions: "["readAgilent"](#)", "["readAffySNP6"](#)", and "["readAffyCytoScan"](#)", each corresponding to their matched file format.

Slots described below are used to store sample information and analysis parameters, as well as segmentation results. All are accessible through specific "["Accessors"](#)" functions.

Objects from the Class

Objects can be created by calls of the form `new("rCGH", ...)`.

Slots content are updated at each different analysis step, and are accessible through specific get functions.

Slots

info: Object of class "character": where sample information can be stored. See "["getInfo"](#)" and "["setInfo"](#)".

cnSet: Object of class "data.frame": the full data set. See "["getCNset"](#)".

param: Object of class "list": the analysis parameters stored for traceability. See "["getParam"](#)".

segTable: Object of class "data.frame": the segmentation table. See "["getSegTable"](#)".

Methods

```
show signature(object = "rCGH"): ...
```

Author(s)

Frederic Commo

See Also

["rCGH-Agilent"](#), ["rCGH-SNP6"](#), ["rCGH-cytoScan"](#)

Examples

```
showClass("rCGH")
```

rCGH-cytoScan-class *Class "rCGH-cytoScan"*

Description

An instance of class "rCGH-cytoScan", which inherits from the superclass "["rCGH"](#)".

Slots described below are used to store sample information, analysis parameters, and segmentation results. All are accessible through specific "[Accessors](#)" functions.

Objects from the Class

Objects can be created by calls of the form `new("rCGH-cytoScan", ...)`.

Slots

info: Object of class "character": where sample information can be stored. See [getInfo](#) and [setInfo](#).

cnSet: Object of class "data.frame": the full data set. See [getCNset](#).

param: Object of class "list": the analysis parameters stored for traceability. [getParam](#).

segTable: Object of class "data.frame": the segmentation table. [getSegTable](#).

Extends

Class "["rCGH"](#)", directly.

Methods

No methods defined with class "rCGH-cytoScan" in the signature.

Author(s)

Frederic Commo

See Also

["rCGH"](#), ["rCGH-Agilent"](#), ["rCGH-SNP6"](#)

Examples

```
showClass("rCGH-cytoScan")
```

rCGH-SNP6-class

Class "rCGH-SNP6"

Description

An instance of class "rCGH-SNP6", which inherits from the superclass "[rCGH](#)".

Slots described below are used to store sample information, analysis parameters, and segmentation results. All are accessible through specific "[Accessors](#)" functions.

Objects from the Class

Objects can be created by calls of the form `new("rCGH-SNP6", ...)`.

Slots

info: Object of class "character": where sample information can be stored. See [getInfo](#) and [setInfo](#).

cnSet: Object of class "data.frame": the full data set. See [getCNset](#).

param: Object of class "list": the analysis parameters stored for traceability. [getParam](#).

segTable: Object of class "data.frame": the segmentation table. [getSegTable](#).

Extends

Class "[rCGH](#)", directly.

Methods

No methods defined with class "rCGH-SNP6" in the signature.

Author(s)

Frederic Commo

See Also

["rCGH"](#), ["rCGH-Agilent"](#), ["rCGH-cytoScan"](#)

Examples

```
showClass("rCGH-SNP6")
```

`readAffyCytoScan`*Affymetrix CytoScanHD "rCGH-cytoScan" Constructor*

Description

A constructor function which takes an Affymetrix cytoScanHD cychp.txt (or cnchp.txt) file as input, possibly in a compressed format (.bz2 or .gz).

These files are exported from Chromosome Analysis Suite (ChAS) or Affymetrix Power Tools (see References section).

Usage

```
readAffyCytoScan(filePath, sampleName=NA, labName=NA,  
useProbes=c("snp", "cn", "all"), verbose=TRUE)
```

Arguments

filePath	: string. A path to an Affymetrix cytoScanHD cychp.txt (or cnchp.txt) file.
sampleName	: string. A sample Id. Optional.
labName	: string. A lab Id. Optional.
useProbes	: character. What probes to consider. Possible choices are SNP probes only ("snp", default), CN probes only ("cn"), or all the probes ("all").
verbose	: logical. When TRUE (default), progress is printed.

Details

When available in the file preamble, several array information will be stored in `Object@info`: scanning date, grid version,...

Any other useful item can be stored using `setInfo`.

Value

An object of class "`rCGH`"

Author(s)

Frederic Commo

References

[Affymetrix Power Tools](#)

See Also

`readAgilent`, `readAffySNP6`, `setInfo`, `getInfo`

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh
```

readAffySNP6

Affymetrix SNP6 "rCGH-SNP6" Constructor

Description

A constructor function which takes an Affymetrix SNP6 cychp.txt (or cnchp.txt) file as input, possibly in a compressed format (.bz2 or .gz).

These files are exported from Chromosome Analysis Suite (ChAS) or Affymetrix Power Tools (APT) (see the References section).

Usage

```
readAffySNP6(filePath, sampleName = NA, labName = NA,
  useProbes=c("snp", "cn", "all"), verbose = TRUE)
```

Arguments

filePath	: string. A path to an Affymetrix SNP6 cychp.txt (or cnchp.txt) file.
sampleName	: string. A sample Id. Optional.
labName	: string. A lab Id. Optional.
useProbes	: character. What probes to consider. Possible choices are SNP probes only ("snp", default), CN probes only ("cn"), or all the probes ("all").
verbose	: logical. When TRUE (default), progress is printed.

Details

When available in the file preamble, several array information will be stored in `Object@info`: scanning date, grid version,...

Any other useful item can be stored using [setInfo](#).

Value

An object of class "[rCGH](#)"

Author(s)

Frederic Commo

References

Affymetrix Power Tools

See Also

[readAgilent](#), [readAffyCytoScan](#), [setInfo](#), [getInfo](#)

Examples

```
filePath <- system.file("extdata", "Affy.snp6_cnchp.txt.bz2", package = "rCGH")
cgh <- readAffySNP6(filePath, sampleName = "AffySNP6")
cgh
```

readAgilent

Agilent Dual-Color Hybridization "rCGH-Agilent" Constructor.

Description

A constructor function taking as input an Agilent FE .txt file, exported from Feature Extraction, possibly in a compressed format (.bz2 or .gz).
Agilent from 44 to 400K are supported.

Usage

```
readAgilent(filePath, sampleName = NA,
            labName = NA, supFlags = TRUE, verbose = TRUE)
```

Arguments

filePath	: string. A path to an Agilent FE (.txt) file.
sampleName	: string. A sample Id. Optional.
labName	: string. A lab Id. Optional.
supFlags	: should the flagged probes be suppressed. Default is TRUE.
verbose	: logical. if TRUE (default), progress is printed.

Details

When available in the file preamble, several array information will be stored in `Object@info`: scanning date, grid version,...

Any other useful item can be stored using [setInfo](#).

Value

An object of class "[rCGH](#)"

Author(s)

Frederic Commo

See Also

[readAffyCytoScan](#), [readAffySNP6](#), [setInfo](#), [getInfo](#)

Examples

```
filePath <- system.file("extdata", "Agilent4x180K.txt.bz2", package = "rCGH")
cgh <- readAgilent(filePath, sampleName = "Agilent4x180K", labName = "myLab")
cgh
```

recenter<--methods *Recentering a Genomic Profile*

Description

This function allows the user to recenter a genomic profile stored in an object of class "[rCGH](#)". Peaks are indexed from 1 to k, from left to right, as they appear on the [plotDensity](#) after the [EMnormalize](#) step.

Usage

```
## S4 replacement method for signature 'rCGH'
recenter(object) <- value
```

Arguments

object	: An object of class " rCGH "
value	: numeric. What peak number to choose to recenter the genomic profile.

Value

An object of class "[rCGH](#)"

Note

When a profile is recentered, the stored workflow parameters are updated. see [getParam](#).

Author(s)

Frederic Commo

See Also

[EMnormalize](#), [plotDensity](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
cgh <- segmentCGH(cgh, nCores=1)

# Default peak choice center the profile on the 2nd peak
plotDensity(cgh)

# Recentering on the 3rd density peak
recenter(cgh) <- 3
plotDensity(cgh)
```

segmentCGH

*Genomic Profile Segmentation***Description**

A function for performing the Log2Ratio segmentation on an object of class "[rCGH](#)". See the details section below.

Usage

```
## S4 method for signature 'rCGH'
segmentCGH(object, Smooth=TRUE, UndoSD = NULL,
minLen = 10, nCores=NULL, verbose = TRUE)
```

Arguments

- object : An object of class "[rCGH](#)"
- Smooth : logical. Should the LRR be smoothed before being segmented. See [DNACopy](#) for details.
- UndoSD : numeric. When not specified (default is NULL), the UndoSD value is estimated from the Log2Ratios. See [DNACopy](#) for details.
- minLen : numeric. The minimal length for a segment, in Kb. Shorter segments will be merged to the closest adjacent one. Default value is 10(Kb).
- nCores : numeric. The number of cores to use in order to speed up the computation. When NULL (default), half of the available cores are used. See [mclapply](#).
- verbose : logical. if TRUE (default), progress is printed.

Details

This function is a wrapper for the DNAcopy, [CNA](#) and [segment](#) functions, which allows parallelization and data-driven parameterization.

In addition to the usual DNAcopy output, the segmentation table contains the probes Log2Ratio standard deviation for each segment, as well as there length, in Kb.

Value

An object of class "[rCGH](#)"

Author(s)

Frederic Commo

References

Venkatraman ES1, Olshen AB. A faster circular binary segmentation algorithm for the analysis of array CGH data. *Bioinformatics*. 2007 Mar 15;23(6):657-63.

See Also

[CNA](#), [segment](#), [mclapply](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
cgh <- segmentCGH(cgh, nCores=1)
st <- getSegTable(cgh)
head(st)
```

Description

This function allows the user to store any type of supplementaty information in an object of class "[rCGH](#)".

Usage

```
## S4 replacement method for signature 'rCGH'
setInfo(object, item = NULL) <- value
```

Arguments

object : An object of class "[rCGH](#)"
item : character. An item name to store. Default is NULL.
value : any. A value to store.

Value

An object of class "[rCGH](#)"

Warning

When either item or value is NULL, an error is returned.

Author(s)

Frederic Commo

See Also

[getInfo](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
  package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")

# When supplementary information is added,
# numerical, logical, or strings are supported
setInfo(cgh, "someItem1") <- 35
setInfo(cgh, "someItem2") <- TRUE
setInfo(cgh, "someItem3") <- "someComment"
getInfo(cgh)

# or to get back specific items
getInfo(cgh, c("someItem1", "someItem3"))
```

show-methods show "[rCGH](#)"

Description

A method for visualizing an object of class "[rCGH](#)"

Methods

`signature(object = "rCGH")`

Author(s)

Frederic Commo

[view](#)

Interactive Genomic Profile Visualization

Description

This function is build on top of [shiny](#), and provides an interactive way for visualizing a genomic profile, and exploring the list of genes.

From a command panel, the user can interact with the graph in different ways. See details.

Usage

```
## S4 method for signature 'rCGH'
view(object, browser = TRUE, ...)
```

Arguments

object	: An object of class " rCGH "
browser	: logical. When TRUE (default), the system's default web browser will be launched automatically.
...	: Optional parameters used by runApp .

Details

The left command panel allows the user several actions:

- displaying a specific gene by calling its HUGO symbol.
- showing all or one unique chromosome.
- merging segments shorter than a specified value, in Kb.
- recentering the entire profile.
- rescaling the y-axis.
- specifying the Log2Ratio cut offs for defining gains and losses.
- specifying a segment lenght cut off, in Mb.
- exporting the genomic plot.
- exporting the genes list.

Some actions, such as showing one unique chromosome or specifying cut offs (gain, loss, segment length), automatically update the gene table available in the "*Genes table*" tab.

Value

None.

Author(s)

Frederic Commo

See Also

[plotProfile](#), [plotLOH](#), [multiplot](#), [runApp](#)

Examples

```
filePath <- system.file("extdata", "Affy_cytoScan.cyhd.CN5.CNCHP.txt.bz2",
                        package = "rCGH")
cgh <- readAffyCytoScan(filePath, sampleName = "AffyScHD")
cgh <- adjustSignal(cgh, nCores=1)
cgh <- EMnormalize(cgh)
cgh <- segmentCGH(cgh, nCores=1)

## Not run:
# Interactive visualizations
view(cgh)

## End(Not run)
```

Index

- *Topic **CopyNumberVariation**
 - rCGH-package, 2
- *Topic **FeatureExtraction**
 - rCGH-package, 2
- *Topic **Preprocessing**
 - rCGH-package, 2
- *Topic \textasciitilde{kwd1}
 - adjustSignal, 3
 - byGeneTable, 7
 - EMnormalize, 8
 - multiplot, 13
 - plotDensity, 14
 - plotLOH, 15
 - plotProfile, 16
 - readAffyCytoScan, 21
 - readAffySNP6, 22
 - readAgilent, 23
 - recenter<--methods, 24
 - segmentCGH, 25
 - setInfo<--methods, 26
 - view, 28
- *Topic \textasciitilde{kwd2}
 - adjustSignal, 3
 - byGeneTable, 7
 - EMnormalize, 8
 - multiplot, 13
 - plotDensity, 14
 - plotLOH, 15
 - plotProfile, 16
 - readAffyCytoScan, 21
 - readAffySNP6, 22
 - readAgilent, 23
 - recenter<--methods, 24
 - segmentCGH, 25
 - setInfo<--methods, 26
 - view, 28
- *Topic **aCGH**
 - rCGH-package, 2
- *Topic **classes**
 - rCGH-Agilent-class, 17
 - rCGH-class, 18
 - rCGH-cytoScan-class, 19
 - rCGH-SNP6-class, 20
- *Topic **datasets**
 - agilentDB, 5
 - geneDB, 10
 - hg19, 11
- *Topic **methods**
 - show-methods, 27
- *Topic **package**
 - rCGH-package, 2
- Accessors, 17–20
- Accessors (AllAccessors), 6
- adjustSignal, 3
- adjustSignal, rCGH-method
 - (adjustSignal), 3
- adjustSignal-methods (adjustSignal), 3
- agilentDB, 5
- AllAccessors, 6
- byGeneTable, 7
- CNA, 26
- detectCores, 4
- EMnormalize, 8, 14, 24, 25
- EMnormalize, rCGH-method (EMnormalize), 8
- EMnormalize-methods (EMnormalize), 8
- geneDB, 10
- genes, 10
- getCNset, 17–20
- getCNset (AllAccessors), 6
- getCNset, rCGH-method (AllAccessors), 6
- getCNset-methods (AllAccessors), 6
- getInfo, 17–21, 23, 24, 27
- getInfo (AllAccessors), 6
- getInfo, rCGH-method (AllAccessors), 6

getInfo-methods (AllAccessors), 6
getParam, 17–20, 24
getParam (AllAccessors), 6
getParam, rCGH-method (AllAccessors), 6
getParam-methods (AllAccessors), 6
getSegTable, 8, 17–20
getSegTable (AllAccessors), 6
getSegTable, rCGH-method (AllAccessors),
 6
getSegTable-methods (AllAccessors), 6

hg19, 11
hist, 14

mclapply, 4, 25, 26
Mclust, 8
mclust, 9
multiplot, 13, 15, 17, 29
multiplot, rCGH-method (multiplot), 13
multiplot-methods (multiplot), 13

par, 14
plotDensity, 9, 14, 14, 15, 17, 24, 25
plotDensity, rCGH-method (plotDensity),
 14
plotDensity-methods (plotDensity), 14
plotLOH, 14, 15, 15, 17, 29
plotLOH, rCGH-method (plotLOH), 15
plotLOH-methods (plotLOH), 15
plotProfile, 13–15, 16, 29
plotProfile, rCGH-method (plotProfile),
 16
plotProfile-methods (plotProfile), 16

rCGH, 3–10, 13–28
rCGH (rCGH-package), 2
rCGH-Agilent, 23
rCGH-Agilent-class, 17
rCGH-class, 18
rCGH-cytoScan, 21
rCGH-cytoScan-class, 19
rCGH-package, 2
rCGH-SNP6, 22
rCGH-SNP6-class, 20
readAffyCytoScan, 3, 18, 21, 23, 24
readAffySNP6, 3, 18, 21, 22, 24
readAgilent, 3, 18, 21, 23, 23
recenter (recenter<--methods), 24
recenter<- (recenter<--methods), 24

recenter<-, rCGH-method
 (recenter<--methods), 24
recenter<--methods, 24
runApp, 28, 29

segment, 26
segmentCGH, 6, 7, 13, 16, 25
segmentCGH, rCGH-method (segmentCGH), 25
segmentCGH-methods (segmentCGH), 25
setInfo, 7, 17–24
setInfo (setInfo<--methods), 26
setInfo<- (setInfo<--methods), 26
setInfo<-, rCGH-method
 (setInfo<--methods), 26
setInfo<--methods, 26
shiny, 28
show, rCGH-method (show-methods), 27
show-methods, 27

TxDb.Hsapiens.UCSC.hg19.knownGene, 10

view, 14, 15, 17, 28
view, rCGH-method (view), 28
view-methods (view), 28