

Package ‘PWMErich.Mmusculus.background’

July 15, 2025

Maintainer Diego Diez <diego10ruiz@gmail.com>

License GPL-3

Title M. musculus background for PWMErich

Type Package

LazyLoad yes

Author Robert Stojnic

Description PWMErich pre-
compiled background objects for M.musculus (mouse) and MotifDb M. musculus motifs.

Version 4.42.0

biocViews Mus_musculus_Data

Date 2015-09-30

Depends R (>= 2.10), methods, PWMErich

git_url <https://git.bioconductor.org/packages/PWMErich.Mmusculus.background>

git_branch RELEASE_3_21

git_last_commit e4310d9

git_last_commit_date 2025-04-15

Repository Bioconductor 3.21

Date/Publication 2025-07-15

Contents

PWMErich.Mmusculus.background-package	2
---	---

Index	4
--------------	---

PWMEnrich.Mmusculus.background-package

PWMEnrich.Mmusculus.background package overview

Description

This package provides a set of pre-compiled genomic background files for the PWMEnrich package and M. musculus (mouse). The backgrounds were pre-compiled using unique 2kb promoters in mouse.

- MotifDb.Mmus.PFM - a list of position frequency matrices (PFMs) from MotifDb
- MotifDb.Mmus - the corresponding PWMs generated by using the background frequencies of A,C,G,T in a set of 2kb mouse (mm9) promoters.
- PWMLogn.mm9.MotifDb.Mmus - pre-compiled threshold-free lognormal background for MotifDb mouse PWMs. The lognormal distribution is fitted to 500bp chunks of 2kb mouse (mm9) promoters.
- PWMCutoff4.mm9.MotifDb.Mmus, PWMCutoff5.mm9.MotifDb.Mmus - pre-compiled Z-score background with cutoff of 4 and 5 (base e) for MotifDb mouse PWMs. The number of hits is counted in 2kb mouse (mm9) promoters.
- PWMPvalueCutoff1e2.mm9.MotifDb.Mmus, PPWMPvalueCutoff1e3.mm9.MotifDb.Mmus, PPWMPvalueCutoff1e4.mm9.MotifDb.Mmus - pre-compiled Z-score background with P-value cutoff of 0.01, 0.001, and 0.0001 for MotifDb mouse PWMs. The number of hits with smaller P-value than cutoff is counted in 2kb mouse (mm9) promoters.

Usage

```
data(MotifDb.Mmus.PFM)
data(MotifDb.Mmus)
data(PWMLogn.mm9.MotifDb.Mmus)
data(PWMCutoff4.mm9.MotifDb.Mmus)
data(PWMCutoff5.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e2.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e3.mm9.MotifDb.Mmus)
data(PWMPvalueCutoff1e4.mm9.MotifDb.Mmus)
```

Details

All of these objects were created with the appropriate functions available in the PWMEnrich package (see Section 'See also'). We recommend using these functions to generate backgrounds for a custom set of background sequences and/or DNA motifs.

This package also contains the 2kb upstream sequences for mouse genes (`mm9.upstream2000`) which were removed from the BSgenome.Mmusculus.UCSC.mm9 package starting from Bioconductor version 3.0.

Author(s)

Robert Stojnic

Cambridge Systems Biology Centre

University of Cambridge, UK

Maintainer: Robert Stojnic <robert.stojnic@gmail.com>

See Also

[makeBackground](#), [makePWMLoginBackground](#), [makePWMCutoffBackground](#), [makePWMEmpiricalBackground](#).

Examples

```
data(PWMLogin.mm9.MotifDb.Mmus)

res = motifEnrichment(DNAString("TGCATCAAGTGTGAGTGCAAGTGAGTGATGAATGC"),
                      PWMLogin.mm9.MotifDb.Mmus)

groupReport(res)[1:10]
```

Index

* package	2
PWMEnrich.Mmusculus.background-package,	
2	
makeBackground, 3	
makePWMCutoffBackground, 3	
makePWMEmpiricalBackground, 3	
makePWMLognBackground, 3	
mm9.upstream2000	
(PWMEnrich.Mmusculus.background-package),	
2	
MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMCutoff4.mm9.MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMCutoff5.mm9.MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMEnrich.Mmusculus.background	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMEnrich.Mmusculus.background-package,	
2	
PWMGEV.mm9.MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMLogn.mm9.MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMPvalueCutoff1e2.mm9.MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMPvalueCutoff1e3.mm9.MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	
2	
PWMPvalueCutoff1e4.mm9.MotifDb.Mmus	
(PWMEnrich.Mmusculus.background-package),	