

frmaTools

October 25, 2011

`convertPlatform` *convertPlatform*

Description

Convert an `AffyBatch` object from one platform to another where the new platform is a subset of the original (i.e. `hgu133atag` to `hgu133a`).

Usage

```
convertPlatform(object, new.platform)
```

Arguments

`object` an `AffyBatch` object to be converted
`new.platform` the name of the platform to be converted to

Value

An `AffyBatch` object containing the data from the original object that could be mapped to the new platform.

Author(s)

Matthew N. McCall

Examples

```
library(frmaExampleData)
data(AffyBatch133atag)
object <- convertPlatform(AffyBatch133atag, "hgu133a")
```

```
makeVectorPackage  makeVectorPackage
```

Description

Make a package containing the vectors used by the frma package. If you don't plan to distribute and maintain this set of vectors, consider using either `makeVectorsAffyBatch` or `makeVectorsExonFeatureSet` instead.

Usage

```
makeVectorPackage(files, batch.id, version, maintainer, species,
annotation, packageName, background="rma", normalize="quantile", normVec=NULL,
type="AffyBatch", target=NULL, file.dir=".", output.dir=".", unlink=TRUE, verbose=
  makeVectorsAffyBatch(files, batch.id, background="rma",
normalize="quantile", normVec=NULL, cdfname=NULL, file.dir=".", verbose=TRUE)
  makeVectorsExonFeatureSet(files, batch.id, target, pkgname,
background="rma", normalize="quantile", normVec=NULL, file.dir=".", verbose=TRUE)
```

Arguments

<code>files</code>	the CEL file names from which to create the vectors
<code>batch.id</code>	a vector of batch ids used to compute within and between batch variances
<code>background</code>	type of background correction to perform: either "none" or "rma".
<code>normalize</code>	type of normalization to perform: either "none" or "quantile".
<code>normVec</code>	normalization vector. If NULL, a normalization vector is created based on the given CEL files. Ignored if <code>normalize</code> is "none".
<code>annotation</code>	the "cdfname" or "pkgname" to be passed to either <code>makeVectorsAffyBatch</code> or <code>makeVectorsExonExpressionSet</code> depending on the value of "type".
<code>cdfname</code>	used to specify the name of an alternative cdf package. Passed to the <code>ReadAffy</code> function. If set to "NULL", then the usual cdf package based on Affymetrix's mappings will be used.
<code>pkgname</code>	alternative data package to be loaded. Passed to the <code>read.celfiles</code> function. If set to "NULL", then the default package will be used.
<code>target</code>	summarization level for exon arrays. Must be one of: <code>probeset</code> , <code>core</code> , <code>full</code> , <code>extended</code> .
<code>packageName</code>	name of the package to be created
<code>version</code>	the version number of the package to be created
<code>maintainer</code>	typically your name
<code>species</code>	species of samples in object
<code>type</code>	the type of data object to be loaded. Must be one of: <code>AffyBatch</code> , <code>ExonFeatureSet</code> .
<code>file.dir</code>	directory in which the CEL files are located
<code>output.dir</code>	directory in which to create the package
<code>unlink</code>	logical value. If TRUE and <code>output.dir</code> already contains a file or directory with the same name as the package being generated, then try to unlink (remove) it.
<code>verbose</code>	logical value. If TRUE then some messages are displayed while the function runs

Value

The makeVectorPackage function creates a package with the name <array platform>frmavecs. For example if the files are HGU133a arrays, the package would be called hgu133afmavecs.

The makeVectors functions create a list with 6 elements:

normVec	normalization vector
probeVec	probe effect vector
probeVarWithin	within batch probe variance
probeVarBetween	between batch probe variance
probesetSD	within probeset standard deviation
medianSE	median standard errors

Author(s)

Matthew N. McCall

Examples

```
## assuming the celfiledir points to a directory with 9 CEL files
## this takes a long time
## Not run:
  vecs <- makeVectorsAffyBatch(celfiledir, batch.id=rep(1:3, each=3))

## End(Not run)
```

Index

*Topic **manip**

- convertPlatform, [1](#)
- makeVectorPackage, [2](#)

convertPlatform, [1](#)

makeVectorPackage, [2](#)

makeVectorsAffyBatch

- (*makeVectorPackage*), [2](#)

makeVectorsExonFeatureSet

- (*makeVectorPackage*), [2](#)