

# Package ‘seq2pathway.data’

August 19, 2025

**Type** Package

**Title** data set for R package seq2pathway

**Version** 1.41.0

**Date** 2021-04-02

**Author** Bin Wang <binw@uchicago.edu>

**Maintainer** Arjun Kinstlick <akinstlick@uchicago.edu>

**Depends** R (>= 3.6.2)

**biocViews** ExperimentData

**Description** Supporting data for the seq2pathway package. Includes modified gene sets from MsigDB and org.Hs.eg.db; gene locus definitions from GENCODE project.

**License** GPL (>= 2)

**git\_url** <https://git.bioconductor.org/packages/seq2pathway.data>

**git\_branch** devel

**git\_last\_commit** 9cd6279

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.22

**Date/Publication** 2025-08-19

## Contents

|                                   |   |
|-----------------------------------|---|
| dat_gene2path_chip . . . . .      | 2 |
| dat_gene2path_RNA . . . . .       | 2 |
| dat_seq2pathway_GOTerms . . . . . | 3 |
| dat_seq2pathway_Msig . . . . .    | 3 |
| Des_BP_list . . . . .             | 4 |
| Des_CC_list . . . . .             | 4 |
| Des_MF_list . . . . .             | 5 |
| gencode_coding . . . . .          | 6 |
| gene_description . . . . .        | 6 |
| GO_BP_list . . . . .              | 7 |
| GO_CC_list . . . . .              | 7 |
| GO_GENCODE_df_hg_v19 . . . . .    | 8 |
| GO_GENCODE_df_hg_v36 . . . . .    | 9 |
| GO_GENCODE_df_mm_vM1 . . . . .    | 9 |

|                                   |    |
|-----------------------------------|----|
| GO_GENCODE_df_mm_vM25 . . . . .   | 10 |
| GO_MF_list . . . . .              | 11 |
| MsigDB_C5 . . . . .               | 11 |
| Msig_GENCODE_df_hg_v19 . . . . .  | 12 |
| Msig_GENCODE_df_hg_v36 . . . . .  | 12 |
| Msig_GENCODE_df_mm_vM1 . . . . .  | 13 |
| Msig_GENCODE_df_mm_vM25 . . . . . | 14 |

|              |           |
|--------------|-----------|
| <b>Index</b> | <b>15</b> |
|--------------|-----------|

---

|                    |                                                                |
|--------------------|----------------------------------------------------------------|
| dat_gene2path_chip | <i>demo result of gene2pathway function from chip seq data</i> |
|--------------------|----------------------------------------------------------------|

---

## Description

demo result of gene2pathway function from chip seq data

## Usage

```
data("dat_gene2path_chip")
```

## Format

A list with 2 elements.

gene2pathway\_result.2 a list of gene2pathway test result, with 3 data frames(3 GO terms)

gene2pathway\_result.FET a list of fisher's test result, with 3 data frames(3 GO terms)

## Value

A list, with two sub lists. The name of one sub list is "gene2pathway\_result.2", with 3 data frames of GO\_BP, GO\_MF, and GO\_CC, another is "gene2pathway\_result.FET", with 3 data frames of GO\_BP, GO\_MF, and GO\_CC.

---

|                   |                                                               |
|-------------------|---------------------------------------------------------------|
| dat_gene2path_RNA | <i>demo result of gene2pathway function from RNA seq data</i> |
|-------------------|---------------------------------------------------------------|

---

## Description

demo result of gene2pathway function from RNA seq data

## Usage

```
data("dat_gene2path_RNA")
```

## Format

A list with 2 elements.

gene2pathway\_result.2 a data frame of gene2pathway test result

gene2pathway\_result.FET a data frame of fisher's test result

**Value**

A list, with two elements. one element is a data frame about "gene2pathway\_result.2"", another data frame is about "gene2pathway\_result.FET".

---

dat\_seq2pathway\_GOterms

*demo result of seq2pathway function from chip seq data*


---

**Description**

demo result of seq2pathway function from chip seq data

**Usage**

```
data("dat_seq2pathway_GOterms")
```

**Format**

A list with 3 elements.

seq2gene\_result a list with 2 annotation table

gene2pathway\_result.FAIME a list of gene2pathway test result, with 3 data frames(3 GO terms)

gene2pathway\_result.FET a list of fisher's test result, with 3 data frames(3 GO terms)

**Value**

A list, with three sub lists. The name of first sub list is seq2gene\_result, with 2 data frames of full and coding gene annotation respectively, the name of second sub list is "gene2pathway\_result.FAIME", with 3 data frames of GO\_BP, GO\_MF, and GO\_CC, the third is "gene2pathway\_result.FET", with 3 data frames of GO\_BP, GO\_MF, and GO\_CC.

---

dat\_seq2pathway\_Msig

*demo result of seq2pathway function from chip seq data*


---

**Description**

demo result of seq2pathway function from chip seq data

**Usage**

```
data("dat_seq2pathway_Msig")
```

**Format**

A list with 3 elements.

seq2gene\_result a list with 2 annotation table

gene2pathway\_result.FAIME a data frame of gene2pathway test result by MsigDB C5 terms

gene2pathway\_result.FET a data frame of fisher's test result by MsigDB C5 terms

**Value**

A list, with three elements. The name of first element is seq2gene\_result, with 2 data frames of full and coding gene annotation respectively, the second element is a data frame of "gene2pathway\_result.FAIME", the third is a data frame of "gene2pathway\_result.FET".

---

|             |                                  |
|-------------|----------------------------------|
| Des_BP_list | <i>Description of GO term BP</i> |
|-------------|----------------------------------|

---

**Description**

Description of GO term BP

**Usage**

```
data("Des_BP_list")
```

**Format**

A list, list names are Go term BP's IDs, list elements are GO term BP's description respectively.

**Value**

A list, list names are Go term BP's IDs, list elements are GO term BP's description respectively.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(Des_BP_list)
head(names(Des_BP_list))
head(Des_BP_list)
```

---

|             |                                  |
|-------------|----------------------------------|
| Des_CC_list | <i>Description of GO term CC</i> |
|-------------|----------------------------------|

---

**Description**

Description of GO term CC

**Usage**

```
data("Des_CC_list")
```

**Format**

A list, list names are Go term CC's IDs, list elements are GO term CC's description respectively.

**Value**

A list, list names are Go term CC's IDs, list elements are GO term CC's description respectively.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(Des_CC_list)
head(names(Des_CC_list))
head(Des_CC_list)
```

---

|             |                                  |
|-------------|----------------------------------|
| Des_MF_list | <i>Description of GO term MF</i> |
|-------------|----------------------------------|

---

**Description**

Description of GO term MF

**Usage**

```
data("Des_MF_list")
```

**Format**

A list, list names are Go term MF's IDs, list elements are GO term MF's description respectively.

**Value**

A list, list names are Go term MF's IDs, list elements are GO term MF's description respectively.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(Des_MF_list)
head(names(Des_MF_list))
head(Des_MF_list)
```

---

|                |                                        |
|----------------|----------------------------------------|
| gencode_coding | <i>Coding gene list in GENCODE 20.</i> |
|----------------|----------------------------------------|

---

**Description**

Coding gene list in GENCODE 20.

**Usage**

```
data("gencode_coding")
```

**Format**

A vector including all coding gene symbols in GENCODE version20.

**Value**

A character vector including all coding gene symbols in GENCODE version20.

**Source**

GENCODE 20

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(gencode_coding)
head(gencode_coding)
```

---

|                  |                                             |
|------------------|---------------------------------------------|
| gene_description | <i>demo data of adding gene description</i> |
|------------------|---------------------------------------------|

---

**Description**

demo data of adding gene description

**Usage**

```
data("gene_description")
```

**Format**

A data frame with 561 observations on the following 2 variables.

hgnc\_symbol a characteristic vector

description a characteristic vector

**Value**

A characteristic matrix of gene symbols and descriptions.

---

|            |                                       |
|------------|---------------------------------------|
| GO_BP_list | <i>Gene symbol list of GO term BP</i> |
|------------|---------------------------------------|

---

**Description**

Gene symbol list of GO term BP

**Usage**

```
data("GO_BP_list")
```

**Format**

A list, list names are Go term BP's IDs, list elements are gene symbols in GO term BP.

**Value**

A list, list names are Go term BP's IDs, list elements are gene symbols in GO term BP.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(GO_BP_list)
head(GO_BP_list)
```

---

|            |                                       |
|------------|---------------------------------------|
| GO_CC_list | <i>Gene symbol list of GO term CC</i> |
|------------|---------------------------------------|

---

**Description**

Gene symbol list of GO term CC

**Usage**

```
data("GO_CC_list")
```

**Format**

A list, list names are Go term CC's IDs, list elements are gene symbols in GO term CC.

**Value**

A list, list names are Go term CC's IDs, list elements are gene symbols in GO term CC.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(GO_CC_list)
head(GO_CC_list)
```

---

GO\_GENCODE\_df\_hg\_v19    *intersection genes of GO terms and GENCODE 19*

---

**Description**

intersection genes of GO terms and GENCODE 19

**Usage**

```
data("GO_GENCODE_df_hg_v19")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_hg_v19)
head(GO_GENCODE_df_hg_v19)
```

---

GO\_GENCODE\_df\_hg\_v36    *intersection genes of GO terms and GENCODE 36*

---

**Description**

intersection genes of GO terms and GENCODE 36

**Usage**

```
data("GO_GENCODE_df_hg_v36")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_hg_v36)
head(GO_GENCODE_df_hg_v36)
```

---

GO\_GENCODE\_df\_mm\_vM1    *intersection genes of GO terms and GENCODE vM1*

---

**Description**

intersection genes of GO terms and GENCODE vM1

**Usage**

```
data("GO_GENCODE_df_mm_vM1")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_mm_vM1)
head(GO_GENCODE_df_mm_vM1)
```

---

GO\_GENCODE\_df\_mm\_vM25 *intersection genes of GO terms and GENCODE vM25*

---

**Description**

intersection genes of GO terms and GENCODE vM25 simply by gene symbol match

**Usage**

```
data("GO_GENCODE_df_mm_vM25")
```

**Format**

A data frame.

**Value**

A data frame.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project

**Examples**

```
data(GO_GENCODE_df_mm_vM25)
head(GO_GENCODE_df_mm_vM25)
```

---

|            |                                       |
|------------|---------------------------------------|
| GO_MF_list | <i>Gene symbol list of GO term MF</i> |
|------------|---------------------------------------|

---

**Description**

Gene symbol list of GO term MF

**Usage**

```
data("GO_MF_list")
```

**Format**

A list, list names are Go term MF's IDs, list elements are gene symbols in GO term MF.

**Value**

A list, list names are Go term MF's IDs, list elements are gene symbols in GO term MF.

**Source**

Carlson M. org.Hs.eg.db: Genome wide annotation for Human. R package version 3.0.0.

**Examples**

```
data(GO_MF_list)
head(GO_MF_list)
```

---

|           |                        |
|-----------|------------------------|
| MsigDB_C5 | <i>MsigDB data set</i> |
|-----------|------------------------|

---

**Description**

.gsa format data

**Usage**

```
data("MsigDB_C5")
```

**Format**

A list with 3 sub lists.

genesets a list of gene names

geneset.names a list of geneset names

geneset.descriptions a list of geneset descriptions

**Value**

A "GSA.genesets" object from GSA package.

---

Msig\_GENCODE\_df\_hg\_v19

*intersection genes of MSigDB collection and GENCODE 19*

---

**Description**

intersection genes of MSigDB collection and GENCODE 19

**Usage**

```
data("Msig_GENCODE_df_hg_v19")
```

**Format**

A data frame.

**Value**

A data frame.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

**Examples**

```
data(Msig_GENCODE_df_hg_v19)
head(Msig_GENCODE_df_hg_v19)
```

---

Msig\_GENCODE\_df\_hg\_v36

*intersection genes of MSigDB collection and GENCODE 36*

---

**Description**

intersection genes of MSigDB collection and GENCODE 36

**Usage**

```
data("Msig_GENCODE_df_hg_v36")
```

**Format**

A data frame.

**Value**

A data frame.

## References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

## Examples

```
data(Msig_GENCODE_df_hg_v36)
head(Msig_GENCODE_df)
```

---

Msig\_GENCODE\_df\_mm\_vM1

*intersection genes of MSigDB collection and GENCODE vM1*

---

## Description

intersection genes of MSigDB collection and GENCODE vM1

## Usage

```
data("Msig_GENCODE_df_mm_vM1")
```

## Format

A data frame.

## Value

A data frame.

## References

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

## Examples

```
data(Msig_GENCODE_df_mm_vM1)
head(Msig_GENCODE_df_mm_vM1)
```

---

`Msig_GENCODE_df_mm_vM25`*intersection genes of MSigDB collection and GENCODE vM25*

---

**Description**

intersection genes of MSigDB collection and GENCODE vM25 simply by gene symbol match

**Usage**

```
data("Msig_GENCODE_df_mm_vM25")
```

**Format**

A data frame.

**Value**

A data frame.

**References**

Harrow J, et al. (2012) GENCODE: The reference human genome annotation for The ENCODE Project. Subramanian, Tamayo, et al. (2005, PNAS 102, 15545-15550).

**Examples**

```
data(Msig_GENCODE_df_mm_vM25)
head(Msig_GENCODE_df)
```

# Index

## \* datasets

- [dat\\_gene2path\\_chip, 2](#)
- [dat\\_gene2path\\_RNA, 2](#)
- [dat\\_seq2pathway\\_GOterms, 3](#)
- [dat\\_seq2pathway\\_Msig, 3](#)
- [Des\\_BP\\_list, 4](#)
- [Des\\_CC\\_list, 4](#)
- [Des\\_MF\\_list, 5](#)
- [gencode\\_coding, 6](#)
- [gene\\_description, 6](#)
- [GO\\_BP\\_list, 7](#)
- [GO\\_CC\\_list, 7](#)
- [GO\\_GENCODE\\_df\\_hg\\_v19, 8](#)
- [GO\\_GENCODE\\_df\\_hg\\_v36, 9](#)
- [GO\\_GENCODE\\_df\\_mm\\_vM1, 9](#)
- [GO\\_GENCODE\\_df\\_mm\\_vM25, 10](#)
- [GO\\_MF\\_list, 11](#)
- [Msig\\_GENCODE\\_df\\_hg\\_v19, 12](#)
- [Msig\\_GENCODE\\_df\\_hg\\_v36, 12](#)
- [Msig\\_GENCODE\\_df\\_mm\\_vM1, 13](#)
- [Msig\\_GENCODE\\_df\\_mm\\_vM25, 14](#)
- [MsigDB\\_C5, 11](#)

- [dat\\_gene2path\\_chip, 2](#)
- [dat\\_gene2path\\_RNA, 2](#)
- [dat\\_seq2pathway\\_GOterms, 3](#)
- [dat\\_seq2pathway\\_Msig, 3](#)
- [Des\\_BP\\_list, 4](#)
- [Des\\_CC\\_list, 4](#)
- [Des\\_MF\\_list, 5](#)

- [gencode\\_coding, 6](#)
- [gene\\_description, 6](#)
- [GO\\_BP\\_list, 7](#)
- [GO\\_CC\\_list, 7](#)
- [GO\\_GENCODE\\_df\\_hg\\_v19, 8](#)
- [GO\\_GENCODE\\_df\\_hg\\_v36, 9](#)
- [GO\\_GENCODE\\_df\\_mm\\_vM1, 9](#)
- [GO\\_GENCODE\\_df\\_mm\\_vM25, 10](#)
- [GO\\_MF\\_list, 11](#)

- [Msig\\_GENCODE\\_df\\_hg\\_v19, 12](#)
- [Msig\\_GENCODE\\_df\\_hg\\_v36, 12](#)
- [Msig\\_GENCODE\\_df\\_mm\\_vM1, 13](#)

- [Msig\\_GENCODE\\_df\\_mm\\_vM25, 14](#)
- [MsigDB\\_C5, 11](#)