

Package ‘JASPAR2014’

June 12, 2025

Version 1.45.0

Date 2014-03-10

Title Data package for JASPAR

Description

Data package for JASPAR 2014. To search this databases, please use the package TFBSTools.

Author Ge Tan <ge_tan@live.com>

Maintainer Ge Tan <ge_tan@live.com>

Depends R (>= 3.0.1), methods, Biostrings (>= 2.29.19)

License GPL-2

URL <http://jaspar.genereg.net/>

Type Package

biocViews ExperimentData, SequencingData

NeedsCompilation no

LazyData yes

git_url <https://git.bioconductor.org/packages/JASPAR2014>

git_branch devel

git_last_commit 1bc1b79

git_last_commit_date 2025-04-15

Repository Bioconductor 3.22

Date/Publication 2025-06-12

Contents

JASPAR2014-package	2
JASPAR2014-class	2
JASPAR2014SitesSeqs	3
Index	4

JASPAR2014-package	<i>Data package for JASPAR 2014</i>
--------------------	-------------------------------------

Description

Data package for JASPAR 2014. To search this databases, please use the package TFBSTools.

Details

Package:	JASPAR2014
Version:	0.99.2
Date:	2013-10-07
Depends:	R (>= 3.0.1), methods, Biostrings (>= 2.29.19)
License:	GPL-2
URL:	http://jaspardev.genereg.net/
Type:	Package
NeedsCompilation:	no
LazyData:	yes

Author(s)

Ge Tan <ge.tan09@imperial.ac.uk>

Maintainer: Ge Tan <ge.tan09@imperial.ac.uk>

References

See <http://jaspardev.genereg.net/> for more details about JASPAR.

Examples

```
## load the library
library(JASPAR2014)
## list the contents that are loaded into memory
ls("package:JASPAR2014")
```

JASPAR2014-class	<i>JASPAR2014 object</i>
------------------	--------------------------

Description

The JASPAR2014 object class is a thin class for storing the path of JASPAR2014 style SQLite file.

Slots

db: Object of class "character": a character string of the path of SQLite file.

Author(s)

Ge Tan

See Also[JASPAR2014SitesSeqs](#),**Examples**

```
## Not run:  
library(JASPAR2014)  
JASPAR2014  
  
## End(Not run)
```

JASPAR2014SitesSeqs	<i>Sites sequences</i>
---------------------	------------------------

Description

A list of DNASTringSet storing transcription factor binding sites sequences from JASPAR 2014 release with JASPAR IDs as names

Source

<http://jaspar.binf.ku.dk/html/DOWNLOAD/sites/>

Examples

```
## Not run:  
library(JASPAR2014)  
JASPAR2014SitesSeqs  
  
## End(Not run)
```

Index

- * **classes**

- JASPAR2014-class, [2](#)

- * **datasets**

- JASPAR2014SitesSeqs, [3](#)

- * **package**

- JASPAR2014-package, [2](#)

JASPAR2014 (JASPAR2014-class), [2](#)

JASPAR2014-class, [2](#)

JASPAR2014-package, [2](#)

JASPAR2014SitesSeqs, [3](#), [3](#)