

CURLMOPT_PIPELINING_SERVER_BL(3)curl_multi_setopt optionCURLMOPT_PIPELINING_SERVER_BL(3)

NAME

CURLMOPT_PIPELINING_SERVER_BL – pipelining server blacklist

SYNOPSIS

```
#include <curl/curl.h>
```

```
CURLMcode curl_multi_setopt(CURLM *handle, CURLMOPT_PIPELINING_SERVER_BL, char
**servers);
```

DESCRIPTION

Pass a **servers** array of char *, ending with a NULL entry. This is a list of server types prefixes (in the Server: HTTP header) that are blacklisted from pipelining, i.e server types that are known to not support HTTP pipelining. The array is copied by libcurl.

Note that the comparison matches if the Server: header begins with the string in the blacklist, i.e "Server: Ninja 1.2.3" and "Server: Ninja 1.4.0" can both be blacklisted by having "Ninja" in the blacklist.

Pass a NULL pointer to clear the blacklist.

DEFAULT

The default value is NULL, which means that there is no blacklist.

PROTOCOLS

EXAMPLE

```
server_blacklist[] =
{
    "Microsoft-IIS/6.0",
    "nginx/0.8.54",
    NULL
};

curl_multi_setopt(m, CURLMOPT_PIPELINING_SERVER_BL, server_blacklist);
```

AVAILABILITY

Added in 7.30.0

RETURN VALUE

Returns CURLM_OK if the option is supported, and CURLM_UNKNOWN_OPTION if not.

SEE ALSO

CURLMOPT_PIPELINING(3), CURLMOPT_PIPELINING_SITE_BL(3),